

JAIPUR DEVELOPMENT AUTHORITY

Room No. MB-GF-35-C Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004
Telephone: +91-141-2569696 e.mail: dharmendra.sharma@mailjda.org

No:- JDA/EE-8/2015-16/D-203

Dated: 19.06.15

NOTICE INVITING BID

NIB No. : EE-8/4/2015-16
JOB No. 055/ 18.05.2015

Online Bids are invited up-to 6.00 PM of 09.07.2015 for **Various Development works of shamshan ghat at Dholai in zone-8 area, JDA, Jaipur**. Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jaipurjda.org for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

(Dharmendra Sharma)
Executive Engineer-8

Annexure: 2

Detail NIB for uploading on SPP Portal, e-Procurement, JDA Portal & as part of NIB Document

JAIPUR DEVELOPMENT AUTHORITY

Room No. MB-GF-35-C Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004
Telephone: +91-141-2569696 e.mail: dharmendra.sharma@mailjda.org

No:- JDA/EE-8/2015-16/D-203

Dated: 19.06.15

NOTICE INVITING BID

NIB No. : EE-8/4/2015-16

Name & Address of the Procuring Entity	<ul style="list-style-type: none"> ➤ Name: Executive Engineer-8, Jaipur Development Authority ➤ Address: MB-GF-35-C Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur-302004 (Rajasthan) ➤ Email:- dharmendra.sharma@mailjda.org
Subject Matter of Procurement	➤ Various Development works of shamshan ghat at Dholai in zone-8 area, JDA, Jaipur
Period of work	➤ 3 Months
Bid Procedure	➤ Single Stage tender (eg. Single-stage Two part (envelope) open competitive) eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jaipurjda.org
Website for online Bid application and payment *	<ul style="list-style-type: none"> ➤ Website: www.jaipurjda.org ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none"> ○ Bidding document fee: Rs. 250/- Rupees (Two Hundred Fifty only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) ➤ Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 20.00 Lacs (Rupees Twenty Lacs only)
Bid Security Deposit	➤ Amount (INR) : 2% (Rs. 40,000/-) (For A & AA class contractor registered in other department) of Estimated Procurement Cost, 0.5% of S.S.I. of Rajasthan, 0.5% (Rs. 10,000/-) (For Contractor registered in JDA) for Bidder registered as contractor in JDA, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction
Pre-Bid	➤ N/A
Start/ End Date for Bid Applying, Online Payment and Bid Submission	<ul style="list-style-type: none"> ➤ Start Date: 25.06.2015 at 9.30 AM onwards ➤ End Date: 09.07.15 at 6.00 PM
**Date/ Time/ Place of Technical Bid Opening	<ul style="list-style-type: none"> ➤ 15.07.2015 at 3.30PM ➤ MB-GF-35-C Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004 (Rajasthan)
Date/ Time/ Place of Financial Bid Opening	➤ Will be intimated later to the Technically qualified bidders
Bid Validity	➤ 120 days from the bid submission deadline

*The amount is to be deposited online by bidder. In case the amount exceeds the online payment limit the payment may be made through RTGS/NEFT in ICICI BANK LTD Bank Account Number 675401700586 IFSC Code ICIC0006754. After successful payment, update the UTR/Instrument number on JDA Tender portal against the tender you want to participate. The amount deposited will be confirmed by JDA and will be updated online.

** There should be a gap of 3 working days **BETWEEN** End Date for Bid Applying, Online Payment & Bid Submission **AND** Bid opening date.

Note:

1. Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
6. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot.
Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in
Address : e-Procurement Cell, JDA, YojanaBhawan, Tilak Marg, C-Scheme, Jaipur
7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

(Dharmendra Sharma)
Executive Engineer-8

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jaipurjda.org (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- In case the amount exceeds the online payment limit, the payment may be made through RTGS / NEFT / Transfer in Bank Account Number **675401700586** IFSC Code **ICIC0006754** of ICICI BANK Limited, JDA Campus Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated while applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under [eServices](#)>>JDA Tender

Annexure: 4
Template of Online Receipt as part of NIB Document

Bidder has to submitted as proof of deposited amount against the Bid on eProcurement Protal

Jaipur Development Authority, Jaipur. Bid Participation Receipt	
	Date & Time:-
Bid Detail	
Bid ID: Bid Title: Bid Value:	Procurement Entity:- Bid Opening Place:
Bidder Detail	
Name of Entity: Registration Type: Payment Mode: Instrument No.:	Mobile No.: Instrument Amount: Payment Channel: Instrument Date:

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Specific Instrument for eProc Rajasthan			
Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee RISL Processing Fee Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

Jaipur Development Authority

Bid Participation Receipt

Date & Time : 09/06/2015 05:13 PM

Bid Detail

Bid Id : 6215152001 **Procurement Entity :** XXXXXXXXXXXXXXXX
Bid Title : Testing
Bid Value : 300000 **Bid Opening Place :** Manthan Hall, Jaipur
Development Authority

Bidder Detail

Name of Entity : XXXXXXXXXXXXXXXX **Mobile:** 9829012345
Registration Type: Individual **Instrument Amount :** 32500.00
Payment Mode: Online/UTR **Payment Channel :** Payment Gateway/CICI Branch - JDA
Instrument No : 456123789 **Instrument Date :** 17-06-2015

Dates Detail

Sr. No.	Event Name	Event Date
1	Publishing Date	01/06/2015 01:00 PM
2	Bid Opening Date	01/07/2015 03:00 PM

Specific Instrument Detail for eProc Rajasthan

Instrument Type: DD

Instrument Number	Head Name	Amount	Date
10000	Tender Fee	400.00	05/06/2015
10001	RISL Processing Fee	1000.00	05/06/2015
10002	Bid Security Deposit	30,000.00	05/06/2015

Issuer Detail : Jaipur Development Authority

ChallanNumber: 641515600014

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SCHEDULE AND SPECIFICATIONS

Name of work: Various Development works of shamshan ghat at Dholai in zone-8 area, JDA, Jaipur.

1.	NIB No.	EE-8/4/2015-16
2.	Approximate cost	Rs.20.00 Lacs
3.	Cost of the Bid document	Rs.250.00 (In favour of Secretary, JDA, Jaipur.)
4.	Bid Processing fees	Rs.1000.00 (In favour of M.D. R.I.S.L., Jaipur.)
5.	Earnest Money (In favour of Secretary, JDA, Jaipur.)	Rs.10000.00 (0.50%) for Contractor enlisted in JDA Rs. 40000.00 (2.00%) for other contractor
6.	Start / End date for bid applying, Online Payment and Bid Submission	Start Date 25.06.2015 at 9.30 AM onwards End Date : 09.07.201 at 6.00 PM
7.	Date & Time of opening Bid	15.07.2015 at 3.30 PM in office of E.E.-8 Room No. MB GF-35-C Building, JDA, Jaipur.
8.	Completion period of work	3 Months

SCHEDULE 'A': INFORMATION USEFUL FOR THE CONTRACTORS:

The tenderer should see/the site and fully understand the condition of the site before tendering & include all lead, lifts etc. for the material in his item rate/percentage to be quoted on the rates as given in the schedule 'G' Then work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-Incharge of the work.

SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing and the detailed estimate may be seen in office of the Engineer–In–Charge.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawing required for the work after deposition necessary cost with in JDA.

SCHEDULE 'D': TEST OF THE MATERIALS:

The test of the materials and working and workmanship shall be conducted by the Engineer in charge of work and quality control cell as per norms. The result of such tests should confirm to the standard laid down in the Indian standard, laid down in the detailed specification of the IRC / MORTH / IS Public Work. Department, Rajasthan. Proper quality control is required to be maintained by the contractor. Qualified personnel as required under the contractor enlistment rules shall have to be engaged at site by the Contractor in case of failure, the department reserves the right to engage such staff and to recover wages from agency. The contractor shall provide facility of each test at site. The expenses shall be recovered from the contractor in case of his failure to do so.

SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE 'F': TIME OF COMPLETION:

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure the contractor shall be liable for action as per condition of contract agreement and special condition of the tender.

SCHEDULE 'G': ATTACH SEPARATELY BASED ON B.S.R. P.W.D. Dec.2012, RAJASTHAN JAIPUR

SCHEDULE 'H': SPECIAL CONDITION : ATTACHED SEPARATELY.

SCHEDULE 'I': LIST OF THE MATERIAL TO BE SUPPLIED BY THE DEPTT.

Nil

SCHEDULE – J: COST OF BID DOCUMENTS, PROCESSING FEES & EARNEST MONEY.

Demand Draft/Pay Order of Bid processing fees is payable in favour of M.D. R.I.S.L. & Cost Bid documents & Earnest Money is payable in favour of Secretary, JDA, Jaipur. Online payment and bid submission upto **09.07.2015 at 6.00 PM.**

SIGNATURE OF CONTRACTOR
With full address:

Executive Engineer – 8
J.D.A., Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level /cost.
02. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
03. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
05. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
06. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
07. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the tenders.
08. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
09. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
10. All transaction in this execution of this work and this tender will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
11. If any tender withdraws his tender prior to expiry of said validity period given at S.No. 8 or mutually extended prior or makes modifications in the rate, terms and conditions of the tender within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or does not complete the work and the work has to be put to retendering he will stand debarred for six months from participating of tendering in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement

12. Bituminous works will be executed by batch mix plant only. No material of Hot mix plant will be allowed.
13. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
14. The contractor shall arrange his own Storage tanks up to 10 tones capacity for strong bulk bitumen. Wherever supplied by the department.
15. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for tendering can be allotted to them, Therefore, before tendering the contractor will keep this in mind, and submit the details of the work. Tenders with incomplete or incorrect information are liable to be rejected.
16. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period's
17. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
18. The rates provided in tender documents are inclusive of all Taxes and royalty
19. For paver work at lest 3 road rollers shall be simultaneously deployed.
20. Bitumen for tack coat or any other purposes shall be applied only by a bitumen sprayer of a mechanical pressure.
21. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
22. Undersigned has full right to reject any or all tenders without given any reasons.
23. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
24. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."
25. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable.
26. The tenderer are required to submit copy of their enlistment as contractor.
27. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
28. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
29. The contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
30. All the provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall be applicable.

31. If any bidder quotes a rate below than the schedule “G” rates, i.e., rates below than at par, then the bidder has to deposit the difference amount i.e. amount between the rates as per at par and below, as work performance guarantee. This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 7 days period be has to deposit difference amount in the form of B.G/FDR/NSC. The validity of these shall be for a period three months beyond the stipulated dated of completion/actual date of completion. In case of non deposition of the same in specified period, the 2% Bid security will be forfeited. In case work is not completed satisfactorily, the work performance security will be forfeited along with Bid security.

**Signature of Contractor
With full Address**

**Executive Engineer-8
JDA, Jaipur.**

Annexure A: Compliance with the code of Integrity and No Conflict of Interest Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest :-

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:

- a. Have controlling partners/ shareholders in common ; or
- b. Receive or have received any direct or indirect subsidy from any of them; or
- c. Have the same legal representative for purposes of the Bid; or
- d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/ our Bid submitted to _____ for procurement of _____ in response to their Notice inviting Bids No. _____ Dated _____ I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that :

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/ our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/ We are not insolvent, in receivership, bankrupt or being wound up, not have my/ our affairs administered by a court or a judicial officer, not have my/ our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/ our professional conduct or the making of false statements or misrepresentations as to my/ our qualifications to enter into a procurement Contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name :

Designation : Address

:

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is - **S.E-I**

The designation and address of the Second Appellate Authority is- **ACE/ Dir (Engg-II).**

(1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely :-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

(5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled

Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

FORM No. 1

[S e e R u l e 8 3]

**Memorandum of Appeal under the Rajasthan
Transparency in Public Procurement Act, 2012**

Appeal No. of
Before the (First/Second Appellate Authority)

1. Particulars of appellant :

(i) Name of the appellant :

(ii) Official address, if any

(iii) Residential address

2. Name and address of the respondent (s) :

(i)

(ii)

(iii)

3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal :

6. Grounds of appeal •
(Supported by an affidavit)

7. Prayer •

Place

Date

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected ; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring
- (iv) Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

(v) 3. Dividing quantities among more than one Bidder at the time of award (In case (vi) of procurement of Goods)

- (vii) As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

ADDITIONAL SPECIAL CONDITION:-

1. The renewed roads shall be under defect liability period of the agency executing the work for 3 years after actual date of completion of work.
2. The agency shall make advance stock of materials of seven days to facilitate proper sampling and testing.
3. The agency shall make available all testing equipment required at plant and site along with technicians.
4. In case some agency stands as L1 in more than one work and the rate is considered to be reasonable then while computing the bid capacity the value of work (choice of work will be given by agency) will be included as liability on the part of agency for the purpose of evaluating bid capacity for the other work.
5. Third party supervision of QC shall be followed in the works.
6. Agency shall have to submit a work plan, which shall be adhered to and shall be penalized in case of delay.
7. Agency to take levels of road jointly with site staff of the Engineer In Charge before execution of the work at his own cost and get the final levels approved from Engineer In Charge before execution.
8. Agency shall arrange video graphing and photography the road prior to start of work, during execution of work and after completion of the work at his own cost and submitted to JDA.
9. Cement shall be OPC - 43 Grade as per relevant IS Code.
10. The RMC shall be procured either from such plants established by cement manufacture like ACC, J.K. Ultra Tech etc. or self established computerized RMC plant of minimum capacity of 30 cum /pr hr at agency's location.
11. Ad mixtures/ plasticizers shall be of Fosroc/Sika make or equivalent or as approved by the Engineer in charge.
12. As per the decision in 183rd meeting of executive committee held on 23.09.2013 the following condition will be included in the format of each and every Bank Guarantee to be received.
“The amount covered under the above Bank Guarantee shall automatically be credited in the accounts of JDA in ICICI Bank, JDA, and Campus through IFSC Code No. Bank Account No. on the date of expiry date or produce NOC from JDA in written for its release.”

**Executive Engineer-8
JDA, Jaipur**

**Signature of contractor with
Full address and E-Mail.**

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

**Name of work:- Various Development works of shamshan ghat at Dholai
in zone-8 area, JDA, Jaipur.**

G-Schedule

Based on BSR 2013

S.No.	Name of Item	Unit	Qty	Rate	Amount
1	Excavation for roadway in soil by mechanical means including cutting and pushing the earth to site of mbankment upto a distance of 100 m, including trimming bottom and side slopes in accordance with requirements of lines, grades and cross-sections.	Cum	210.00	17.50	3675.00
2	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering & ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter. All kinds of soils	Cum	114.00	124.00	14136.00
3	Earth, Sand, Lime, Morrum manure or sludge for 5 Km.	Cum	240.00	60.00	14400.00
4	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and MoRD specifications Clause 802, 803, 1202 & 1203 P.C.C grade M 10 Nominal mix 1:3:6	Cum	44.51	2940.00	130850.58
5	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:6 (1-Cement : 6-Sand).	Cum	65.00	1967.00	127855.00

6	Random Rubble stone masonry with hard stone in superstructure above plinth level and upto five level above 30cm. thick walls in : Cement Mortar 1:6 (1-Cement : 6-Sand).	Cum	32.40	2411.00	78116.40
7	Add extra for Random Rubble stone masonry with hard stone in Square or Rectangular pillars	Cum	0.97	150.00	145.80
8	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M20 grade Nominal Mix 1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size).	Cum	16.85	3607.00	60781.56
9	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	Cum	34.91	3458.00	120729.15
10	Half brick masonry in Superstructure , above plinth level upto floor V level using bricks of designation 75 Cement mortar 1 : 4 (1 cement : 4 coarse sand)	Sqm	13.82	403.00	5569.46
11	Providing and fixing M.S. sheet 1mm thick single leaf door shutter in angle iron frame 35x35x5mm suitably diagonally braced with 25x3mm flat iron above and below lock rail of size 50x5mm beading extra including all fittings, as per direction of Engg. incharge but excluding cost of chowkhats: including two coats of anit-corrosive red oxide primer paint	Sqm	9.45	2084.00	19693.80
12	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish : 20mm thick .	Sqm	1082.00	119.00	128758.00
13	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting (height upto 10 m) , fixing in position and applying a priming coat of approved steel primer all complete:	Kg	1690.00	66.00	111540.00

14	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/ vertical or curved surfaces) excluding the cost of purlins, rafters and trusses and including cutting to size and shape whenever required. 0.80 mm thick with zinc coating not less than 275 gm/m ²	Sqm	81.00	556.00	45036.00
15	Filling available excavated earth (excluding rock) in trenches, plinth side of foundation etc. in layers not exceeding 20 cm. in depth, consolidating each deposited layer by ramming and watering including lead up to 50 meter and with all lift.	Cum	119.00	45.00	5355.00
16	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding: New work (Two or more coats applied @ 3.84 kg/10 sqm).	Sqm	1678.11	37.00	62089.92
17	Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) For area of each slab from 901 to 2000 Sq.Cm :	Sqm	167.00	659.00	110053.00
18	P & F 1st quality WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete. Mini stall size 455x385x350mm.	Each	3.00	1373.00	4119.00
19	P & F C.P. Brass flush Valve with C.P. flush bend of approved make. Economy model 25 mm dia.	Each	3.00	1562.00	4686.00

20	P & F <i>G.I. pipes (Internal Work)</i> with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps including cutting and making good the walls and floors: Exposed on wall 15 mm dia nominal bore 'B' Class	Mtr	30.00	135.00	4050.00
21	P & F <i>G.I. Pipes (External Work)</i> with G.I. fittings excluding union (IS : 1239 Mark) including trenching & refilling earth etc. 15mm dia nominal bore 'B' Class	Mtr	50.00	110.00	5500.00
22	P & F <i>G.I. Pipes (External Work)</i> with G.I. fittings excluding union (IS : 1239 Mark) including trenching & refilling earth etc. 25mm dia nominal bore 'B' Class	Mtr	5.00	184.00	920.00
23	P & F Bib Cock (IS : 8931 Mark), Superior quality of approved make: C.P. Brass bib cock, 15mm nominal bore.	Each	4.00	518.00	2072.00
24	P & F <i>Full-way Valve</i> (IS:778 Mark) or wheel valve of approved make : Gun-metal 25mm nominal bore.	Each	1.00	435.00	435.00
25	P & F <i>Full-way Valve</i> (IS:778 Mark) or wheel valve of approved make : Gun-metal 15mm nominal bore.	Each	1.00	248.00	248.00
26	P & F <i>PVC Storage Tank</i> ISI Marked (IS : 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design: 1000 litres capacity.	Each	1.00	6000.00	6000.00
27	Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc.	Sqm	37.00	110.00	4070.00

28	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Suspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.	Sqm	178.00	236.00	42008.00
29	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Columns, pillars, posts and struts etc.	Sqm	26.88	260.00	6988.80
30	Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement for Beams, suspended floors, roofs, grids having slopes up to 15°, landings, balconies, shelves, chajjas, lintels, bands, plain windows sills, staircases and spiral staircases etc. M20 grade Nominal Mix / Design Mix	Cum	26.00	3592.00	93392.00
31	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code)	Kg	3265.00	69.00	225285.00
32	Distempering with dry distemper of approved brand and shade (two or more coats) and of required shade on new work, over and including, priming coat of whitening to give an even shade including all scaffolding.	Sqm	136.00	37.00	5032.00

33	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and MoRD Specification Clause 1501 including vaccum dewatering process with all required equipments	Cum	45.00	5765.00	259425.00
34	Brick on edge flooring with bricks of class designation 75 including cement slurry & pointing in CM (1 : 3) etc. complete laid on 20 mm thick bed of : Cement Sand Mortar 1 : 4	Sqm	3.75	354.00	1327.50

35	Stone work (machine cut edges) for Wall cladding/ Veneering work up to 10m height with 20 to 30 mm thick Red Sand Stone (Karauli) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade :(To be secured to the backing by means of cramps which shall be paid separately) Exposed face rough dressed	Sqm	25.00	1257.00	31425.00
36	PAINTING Applying priming coat : With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/steel works	Sqm	91.89	16.00	1470.24
37	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	Sqm	91.89	44.00	4043.16
38	Fixing standard steel glazed doors, windows and ventilators in walls with 15x3mm lugs 10cm long embedded in cement concrete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including fixing of glass panes with glazing clips and special metal-sash putty of approved make, or metal beading with screws (only steel windows with lugs, glass pane cut to size and glazing clips or metal beading with screws, shall be supplied by department free of cost.)	Sqm	1.44	193.00	277.92
39	P & F <i>Indian type</i> white glazed vitreous china 1 st quality W.C. orissa pan (IS :2556 Mark) with 100 mm vitreous china P or S trap including cutting and making good the wall and floor: Size 530x410mm.	Each	1.00	1639.00	1639.00
40	P& F waste Coupling with fittings of approved quality /make: C.P Brass 32 mm dia	Each	1.00	108.00	108.00

41	P&F rigid <i>PVC pipe fittings</i> (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Gully trap 110mm dia	Each	1.00	363.00	363.00
42	Construction of Soakage well in all types of soil of approved drawing, top 90 Cm .Portion in 450mm thick masonry with CM 1:6, 80 mm thick stone slab covering, jointing of slab in CM 1:3 ,Ralthal, kharanja 40mm thick M-15 grade C.C flooring, earth work etc . complete including disposal of surplus earth within a lead of 50 mtr . Inner dia 90 Cm & 10 to 12 Mtr deep.	Each	1.00	3450.00	3450.00
43	Providing and Fixing Spun –Cast Iron floor trap (Nahani) of (IS :3989 Mark) approved quality / make with socket down or hinged grating including cutting and making good the floor :- Size 100 x 100 mm	Each	2.00	732.00	1464.00
44	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes Type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make 110 mm dia	Mtr	10.00	220.00	2200.00
			Total		1750783.29

Executive Engineer-8
JDA, Jaipur.

I/We hereby agree to work at (in fig.) % above/below

I/We hereby agree to work at (in words) % above/below

Signature of Contractor
With full address