

Annexure: 2

Template of Detail NIB for uploading on SPP Portal, e-Procurement, JDA Portal & as part of NIB Document

JAIPUR DEVELOPMENT AUTHORITY

Room No. 114, Court Building, 1st Floor, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg,
Jaipur - 302 004 Telephone: +91-141-2569696 e.mail : xxxxxxx@jaipurjda.org

JDA/XEN/Elect-IV/2016-17/D-301

Dated : 01.09.2016

NOTICE INVITING BID

NIB No. : 12/2016-17

Name & Address of the Procuring Entity	➤ Name: Executive Engineer (Elect-IV), Jaipur Development Authority ➤ Address: Room No. 114, Court building, 1st Floor, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302 004 (Rajasthan) ➤ Email: ee.electric4@jaipurjda.org
Subject Matter of Procurement	Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur
Bid Procedure	Single Bid eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , jda.urban.rajasthan.gov.in
Website for online Bid application and payment *	➤ Website: http://jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. <ul style="list-style-type: none">○ Bidding document fee: Rs. 500.00 Rupees (Five Hundred only)○ RISL Processing Fee: Rs. 1000 (Rupees One Thousand only)○ Requisite Bid Security Deposit -
Work completion period	➤ 12 (Twelve) Months
Estimated Procurement Cost	➤ INR 34,14,293.00 (Rs. Thirty Four Lacs Fourteen Thousand Two Hundred Ninety Three only)
Bid Security Deposit	➤ Amount (INR) : 2% 68286.00 of Estimated Procurement Cost, 0.5% of S.S.I. of Rajasthan, 0.5% (17072.00) for Bidder registered as contractor in JDA, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction
Pre-Bid	➤ N/A
Start/ End Date for Bid Applying, Online Payment and Bid Submission	➤ Start Date: 05.09.2016 at 09.30 AM onwards ➤ End Date: 26.09.2016 at 06:00 PM
**Date/ Time/ Place of Technical Bid Opening	➤ N/A
Physical BG (Earnest Money) submission date & time	➤ Start Date: 28.09.2016 at 09.30 AM onwards ➤ Closing Date: 28.09.2016 at 06:00 PM

Date/ Time/ Place of Financial Bid Opening	➤ 29.09.2016 at 3.30 PM ➤ Room No. CCC TF-309, IIIrd Floor, CCC building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Bid Validity	➤ 120 days from the bid submission deadline
Job No. 130/2016-17	
<p>* The amount is to be deposited online by bidder. In case the amount exceeds the online payment limit the payment may be made through RTGS/NEFT in ICICI BANK LTD Bank Account Number 675401700586 IFSC Code ICIC0006754. After successful payment, update the UTR/Instrument number on JDA Tender portal against the tender you want to participate. The amount deposited will be confirmed by JDA and will be updated online.</p> <p>** There should be a gap of 3 working days BETWEEN End Date for Bid Applying, Online Payment & Bid Submission AND Bid opening date.</p>	
<p>Note:</p> <ol style="list-style-type: none"> 1. Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal. 2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted. 3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in (bidders already registered on http://eproc.rajasthan.gov.in before 30-09-2011 must register again). 4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems. 5. Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about the e-Tendering process. 6. Training for the bidders on the usage of e-Tendering System (e-Procurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot. Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur 7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids. 8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder. 9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal. 10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail. 	

Executive Engineer (Elect-IV)
JDA, Jaipur

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

1. Registered on JDA website jda.urban.rajasthan.gov.in (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- In case the amount exceeds the online payment limit, the payment may be made through RTGS/NEFT/Transfer in Bank Account Number **675401700586** IFSC Code **ICIC0006754** of ICICI BANK Limited, JDA Campus Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated while applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under [e-Services](#)>>JDA Tender

Annexure: 4

Template of Online Receipt as part of NIB Document

Bidder has to submitted as proof of deposited amount against the Bid on e-Procurement Portal

Jaipur Development Authority

Bid Participation Receipt

Date & Time : 09/06/2015 05:13 PM

Bid Detail

Bid Id :	6215152001	Procurement Entity :	XXXXXXXXXXXXXX
Bid Title :	Testing		
Bid Value :	300000	Bid Opening Place :	Manthan Hall, Jaipur Development Authority

Bidder Detail

Name of Entity :	XXXXXXXXXXXXXX	Mobile:	9829012345
Registration Type:	Individual	Instrument Amount :	32500.00
Payment Mode:	Online/UTR	Payment Channel :	Payment Gateway/ICICI Branch - JDA
Instrument No :	456123789	Instrument Date :	17-06-2015

Dates Detail

Sr. No.	Event Name	Event Date
1	Publishing Date	01/06/2015 01:00 PM
2	Bid Opening Date	01/07/2015 03:00 PM

Specific Instrument Detail for eProc Rajasthan

Instrument Type: DD			
Instrument Number	Head Name	Amount	Date
10000	Tender Fee	400.00	05/06/2015
10001	RISL Processing Fee	1000.00	05/06/2015
10002	Bid Security Deposit	30,000.00	05/06/2015
Issuer Detail : Jaipur Development Authority		ChallanNumber: 641515600014	



JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

TENDER DOCUMENTS

**NAME OF WORK:-Annual Maintenance Repair and Maintenance Contract
of JDA Campus at JDA, Jaipur**

- 1. NIB No.** : NIB 12/2016-17 Dated 01.09.2016
- 2. Approximate cost** : Rs. 3414293.00
- 3. Cost of the tender document** : Rs. 500.00
- 4. Tender Processing Fees** : Rs. 1000.00
- 5. Earnest Money** : Rs. 17072.00 (for Contractor enlisted in JDA)
Rs. 68286.00 (for E-I class Contractor enlisted in
other Govt. Departments.)
- 6. Download of tender document** : 05.09.2016 to 26-09-2016 up to 6:00 PM
- 7. Upload the tender Document** : 26-09-2016 up to 6:00 PM
- 8. Physical BG (Earnest Money)
Submission date & Time** : Start date 28-09-2016 at 09.30 AM onwards
Closing date 28-09-2016 at 06.00 PM.
- 9. Date of opening of tender** : 29-09-2016 at 3:30 PM in CCC-TF-309, Third Floor,
Citizen Care Building, Ram Kishore Vyas Bhavan,
Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302
004 (Rajasthan)
- 10. Completion period of work** : 12 (Twelve) Months

SCHEDULE 'A' : INFORMATION USE FULL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the condition of the site before bidding and include all lead, lifts etc. for the material in his item rate / percentage to the quoted on the rates as given in schedule 'G'. Then work shall be carried out in accordance with the Rajasthan PWD specification for electric works 1980 and to the entire satisfaction of the Engineer-Incharge of the work.

The bid will be opened only of those bidders deposit online proper bid security, processing fee, tender fee & copy of registration of contractor in required category are found to be in order.

SCHEDULE 'B':LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

SCHEDULE 'C ':LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor Nil. But the contract or shall have to arrange drawings required for the work at his own cost after deposition necessary cost within JDA.

SCHEDULE 'D': TEST OF THE MATERIALS:

The test of the material and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to be standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works

Deptt. proper quality control is required to be maintained by the contractor. Qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The Deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used be used by the contractor shall be deposited 15 days in advance with the Engineer In-charge and be got approved by him before use.

SCHEDULE 'F': TIME OF COMPLETION:

The work should start within 10 days of issue of work order and completion within months/ days.

SCHEDULE 'G': ATTACH SEPARATELY SCHEDULE 'G' BASED ON JDA BSR 2016 RAJASTHAN JAIPUR/JDA APPROVED.

SCHEDULE 'H':SPECIAL CONDITION ATTACHED SEPARATELY.

SCHEDULE 'I': LIST F THE MATERIAL TO BE SUPPLIED BY THE DEPTT.

Whatever material available in JDA store shall be issued @ the prevailing store issue date of JDA + 5% storage charges at the time of issue of cement.

Signature of Contractor
with full address.

Executive Engineer (Elect.-IV)
JDA, Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

1. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
2. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
3. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
4. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
5. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
6. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the bids.
7. By submission of this bid the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
8. No conditions are to be added by the contractor and conditional bid is liable to be rejected.

9. All transaction in this execution of this work and this bid will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
10. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 7 or mutually extended period or makes modifications in the rate, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for 6 Months from participating of bidding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement.
11. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
12. The contractor shall arrange his own storage tanks up to 10 Tones capacity for storage of bulk bitumen wherever supplied by the department.
13. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for bidding can be allotted to them, Therefore, before bidding the contractor will keep this in mind, and submit the details of the work. Bids with incomplete or incorrect information are liable to be rejected.
14. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
15. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
16. The rates provided in bid documents are inclusive of all Taxes and royalty.
17. For paver work at least 3 road rollers shall be simultaneously deployed.

18. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
19. Undersigned has full right to reject any or all bids without given any reasons.
20. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
21. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act.
22. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable
23. The bidders are required to submit copy of their enlistment as contractor.
24. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
25. Any bid received with unattested cutting/ overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
26. All the provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 shall be applicable.

SIGNATURE OF CONTRACTOR
WITH FULL ADDRESS:

EXECUTIVE ENGINEER Elect.-IV,
JDA JAIPUR

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
Special Terms & Conditions for Electrification work.

1. The Contractor has to give the performance guarantee of the electrical work accept maintenance work for 3 years from the date of completion.
2. The Contractor has to arrange for the permission for the charging of electrical system from the Electrical Inspector Govt. of Rajasthan. He will have to deposit the necessary fees, which shall be reimbursed by Jaipur Development Authority.
3. The contractor will coordinate for the system handing over and charging process and if any defects, is pointed out by the RSEB/JVVNL, then he will have to rectify the same.
4. The final bill shall be paid after the lines and substations are handed over to RSEB/JVVNL and system is charged.
5. Factory inspection of material is must before dispatch of material and expenditure will be bear by the contractor itself..
6. The material shall be purchased from the firms, which are also supplying the material to RSEB/JVVNL.
7. All HT/LT cables should be sequentially marked with cable size & length duly embossed.
8. The contractor shall return unused material issued to him by the depts. If desired by the Engineer in-charge and in case, of failure to do so he shall be charged for such unreturned material at double the issue rate including storage and supervision charges or the market rate whichever is higher. The basis of the theoretical consumption and allowing for wastage @ 5% at double the issue rate including storage and supervision charges or market rate whichever is higher.
9. **The contractor shall be fully responsible to follow safety code as per IS 3764:1992 (upto date). The work should be executed without damaging existing water pipe line, LT/HT electric under ground cable, poles, existing surface drain, water connections, Telephone cables etc. In case of any damages the penalty/ liability imposed for such work shall be borne by the contractor and shall be got repaired immediately by arranging material/ labor/ assistance etc. In case of delay JDA reserve right to execute/ get executed the work at the cost and risk of the contractor.**
10. It is a mandatory condition that contractor will get all insulated material tested from CTL of JVVNL before using it at site.

Executive Engineer (Elect-IV)
JDA, Jaipur.

I carefully study & do agree for above terms & conditions.

Signature & Seal of the Contractor

Annexure A : Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall:-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process.
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation.
- (c) Not indulge in any collusion, Bid rigging or anti- competitive behavior to impair the transparency, fairness and progress of the procurement process.
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process.
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process.
- (f) Not obstruct any investigation or audit of a procurement process.
- (g) Disclose conflict of interest, if any and.
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in bidding process must not have a Conflict of Interest.

A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i). A Bidder may be considered to be in conflict of interest with one or more parties in a bidding process of, including but not limited to :
 - a. Have controlling partners/ shareholders in common, or
 - b. Receive or have received any direct or indirect subsidy from any of them, or
 - c. Have the same legal representative for purposes of the Bid, or
 - d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder, or influence the decisions of the procuring entity regarding the bidding process. Or
 - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one bid, or.
 - f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, works or services that are the subject of the Bid.
 - g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring entity as engineer in charge/ Consultant for the contract.

Annexure B : Declaration by the Bidder regarding Qualifications :-

Declaration by the Bidder

In relation to my/ our Bid submitted to for procurement of In response to their Notice Inviting Bids No. Dated I/We hereby declare under section 7 of Rajasthan Transparency in Public Procurement Act. 2012, that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity :
2. I/ we have fulfilled my/our obligation to pay such of the taxes payable to the union and the State Government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons:
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings ;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name :

Designation:

Address :

Annexure C : Grievance Redressal during Procurement Process

The designation and address of the first Appellate Authority is **JDC**

The designation and address of the Second Appellate Authority is **E.C.(JDA)**

(1) Filing an appeal:

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document with in a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or Prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first Appellate Authority, as the case may be.
- (4) **Appeal not to lie in certain cases.**

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

 - (a) Determination of need of Procurement;
 - (b) Provisions limiting participation of bidders in the Bid process;
 - (c) The decision of whether or not to enter into negotiations;
 - (d) Cancellation of a procurement process;
 - (e) Applicability of the provisions of confidentiality;

(5) Form of Appeal:

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be in person or through registered post or authorized representative.

(6) Fee for filing appeal:

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non- refundable.
- (b) The fee shall be paid in the form of Bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal:

- (a) The first Appellate Authority or Second Appellate Authority, as the case may be upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be shall,
 - (i) Hear all the parties to appeal present before him and
 - (ii) Peruse or inspect documents, relevant records or copies there or relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public Procurement Portal.

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial Bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
 - ii If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
 - iii If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above
- If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities:

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or other wise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of Procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Form No. 1

[See rule 83]

**Memorandum of Appeal under the Rajasthan Transparency in
Public Procurement Act, 2012**

Appeal No Of
..... Before the
(First/ Second Appellate Authority)

1. Particulars of appellant :
 - (i) Name of the appellant :
 - (ii) Official address, if any :
 - (iii) Residential address:
 2. Name and address of the respondent (s):
 - (i)
 - (ii)
 - (iii)
 3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
 4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:
 5. Number of affidavits and documents enclosed with the appeal:
 6. Grounds of
appeal:.....
(Supported by an affidavit)
 7. Prayer
.....
- Place
- Date

Appellant's Signature

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR.

DETAILED SPECIAL CONDITION AND SPECIFICATIONS

1. The scope of the Schedule 'H' and 'G' comprises Street light work in the multi level parking at JDA Campus mentioned in the Schedule 'H'.
2. The tubular poles are proposed to be erected generally in the median strip of the road or sides unless otherwise instructions are given to change the alignment.
3. The road in question in national, highway/important only road and as not only heavy traffic passes through the road but all the VIPs also pass through it the before it will be the contractor responsibility the provide all retardates caution signs during the execution of work at his own cost in order in to avoid any miss happening.
4. No opening shall be left uncovered during night. The bidder shall make all arrangement to avoid any claim if preferred on his account shall be the liability of the bidder.
5. No road or part of the road shall be cut without taking the prior permission in writing from the competent authority. The permission shall be arranged by bidder on the request of JDA. However, any charges will be borne by JDA.
6. The contractor shall be deemed to have carefully examined the specifications general condition and bid drawing etc. and they have been fully informed and have satisfied himself as to the nature and character of the work to be executed site conditions and other relevant matters and details.
7. References to standards code specifications recommendation shall mean the attested addition of such publications of the work to be executed at site before the date of invitation to submit proposals.
8. The excavated material shall be place within 1.5 Mtr. of the edge the half of the depth of the trench with have is more side clear shall be done within 24 hours.
9. The work shall be carried out strictly Dom plying within Indian Electricity Rules in force and as per specifications for Electrical and lift work issued by PWD Raj., Jaipur 1980 or any other IS code for this work.
10. **Trenching** : The trenches shall be of shaper size as instructed by the Engineer-in-Charge.
 - (a) **Width**
 - (i) The minimum width of trench for laying single cable shall be 35 Cm.

- (ii) Where more than one cable is to be laid in the same trench in horizontal formation. The width of the trench shall be increased such that the spacing between the cables shall be at least 20 Cm.

(b) Depth

- (i) Where cable core laid in single tier formation in the total depth of shall not be less than 75 cm for cable up to 1.1 KV.
- (ii) When more than one tier of cable is unavoidable and vertical formation of laying is adopted depth of trench in (i) above shall increase by 30 cm for each additional tier to be formed.
- (iii) The depth shall be 1.0 Mtr. of 11 KV, 1.5 Mtr. for 33 KV.

(c) EXCAVATION

The trench must be excavated straight and if it is necessary to give any band or curve radius of such trench shall be at least 12 time the over all diameter of the cable.

(d) PLACING OF THE CABLE

The cable must be places in the trench on band of fine sand of 8 cm thick bed, and the cable shall be laid below water and sewer lines.

- (e) For the safe guard of cable it must have covering of clean dry river sand or any other type of soil as directed by Engineer-in-Charge is not less than 17 cm.

(f) PROTECTION

To protect the cable against mechanical damages the second class bricks or stone katla as specification shall be placed over the cable width wise.

- 11. Satisfactory type / acceptance test that results wherever applicable conducted from Govt. / Govt. approved laboratory as per ISS shall be submitted prior to use. The routine tests of cable shall be conducted only after delivery at site at his own cost.

12. EARTHING

The ground earthing shall be done generally confirming to IS specification of 3043-1966 all the work earth terminal be provided duly crimped / soldered.

13. CONTROLLING PANELS

The controlling panels such as main panel service pillar-box and fuse boxes are to be installed in span. The rubber gasket bedding of high quality rubber is to be provided around all operable parts. The all-hard works should be made corrosion resistant giving all chemical treatment before its fabrication and before final coat desired colour painting and red oxide primer should be applied. All internal connectives are be made with PVC insulated copper conductor with copper lugs dully crimped. The internal wiring shall be arranged with clips the bus bars and connection shall consists of drawn high conductivity copper strip with PVC 3 leaves tops of phase colours.

14. SUBMISSION OF DRAWING BY THE CONTRACTOR

The following two drawing are required to be submitted by the contractor.

- (i) **Main Panel Drawing:** The contractor shall submit the drawing of main panel all dimensions all internal connection of diagram, well before its fabrication and obtain prior approval of the drawings from the competent authority.
- (ii) **Completion drawings :** The contractor shall submit the completion drawings of the project showing the roots of the cable and position of panel etc.

15. TESTING

The following test shall be performed by the contractor at his own cost.

- (i) **Continuity and installation test of cable :** The contractor shall arrange for the continuity of cable for well use of the perfect of the cable.
- (ii) **Mager Testing :** The whole installation shall be arranged to be test by contractor after its completion shall in presence of Engineer-in-Charge and result shall be recoated and signed jointly.

- 16. **Earthing Testing:** Earth test shall be performed by the contractor and results will be used be recorded and signed jointly.
- 17. Any other test for cable etc. required shall be arranged by the contractor.
- 18. No condition of any short except as provided in the printed from schedule of quantities will be entertained.
- 19. Conditions given in the bid from apply in full.
- 20. The contractor shall have to obey the labour laws. The labour shall have to pay monthly and shall have first line on the bill of contractor, in case of complaint of labour and non-payment of wages is received to the department.
- 21. The rate of every item should be quoted against each in figures and in words as well for complete Non BSR Items.
- 22. In case of any typographical error in nomenclature, unit and rate, the rates as per BSR on which 'G' Schedule is prepared shall be binding on the bids.
- 23. In case of any dispute the Executive Engineer (Elect-I) decision shall be final.
- 24. The bidders are expected to be fully conversant with the general and special conditions of contract in force in this office. They must see the site of work acquaint themselves of the position of the materials, Fluctuation of the rates in the market, see the schedule and plans in the office and remove doubts, if any, before submitting their bids.




25. The JDA is not responsible for arranging any material whatsoever any the contractor will have to complete the work within the specified time with specified material and approved accessories, from the stock, non-availability of material or delay in the consignment will not be entertained to as an excuse for extension of time for completion of work.
26. Contractor will not be paid extra for sales or any other tax.
27. Bids must be submitted on the prescribed forms duly signed by the bids on every page.
28. All entries by the bidder should be in on ink only. Erasers and over writings are not permissible. All cancellation correction and insertions must be signed by the bidder.If any rates are not quoted, bid will be rejected.
29. Rate quoted should be given for the work; separately in words and figures in case there is any difference in rates between words and figures the lower of the two will be taken as correct.
30. All the papers signed by the parties to this contract and bond together and sealed shall deemed to form part of the contract bond and shall be read as conditions of contract.
31. In every case in which by virtue for the provisions of section 12 sub section (I) of the Workman's Compensation Act, 1923 cost is obliged to pay compensation to a workman employed by the contractor or by a sub contractor for execution to said work Govt. will recover from the contractor the amount of the compensation paid and without prejudice to the rights of Govt. under section 12 sub section (2) of the said Act, Govt. shall be at liberty to recover such amount or any part there of by deducting if from the earnest money deposited by the contractor to his credit or any other sum due by Govt. to the contractor whether under this contract or otherwise.
32. The contractor should have submit safety certificate for equipment each year separately in maintenance period.
33. The contractor shall arrange the certificate from electric inspector on completion of the electric installation at his own however any fee to be paid on this account shall be paid by the JDA.
34. The entire material should be as per JDA BSR 2016 of Electrical work of Schedule 'G' & specified main materials of schedule 'H' and shall be of ISI marked.

The entire material should be as per JDA BSR 2016 of Electrical work of Schedule 'G' & specified main materials of schedule 'H' and shall be of ISI marked.

I/We have carefully study the instructions / conditions mentioned above & do hereby undertake to agree for the same.

SIGNATURE OF CONTRACTOR
WITH FULL ADDRESS:


EXECUTIVE ENGINEER (Elect-IV),
JDA, JAIPUR

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.						
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:		Less (-)		%		
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1.00	Wiring of light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) of approved make on surface ISI marked (IS:14927 P - II) PVC casing capping & it's accessories, round tiles,18 SWG M.S. box with earth terminal, 6 A switch, 3.0 mm thick ISI marked phenolic laminated sheet, zinc plated / brass screws, cup washers, making connections, testing etc. as					
1.10	Short point (up to 3 mtr.) Complete Rate Group 1	30.00	P.Point	155.20	Rupees One Hundred & Fifty Five and Paise Twenty	4656.00
1.20	Medium point (up to 6 mtr.) Complete Rate Group 1	60.00	P.Point	234.40	Rupees Two Hundred & Thirty Four and Paise Forty	14064.00
1.30	Long point (up to 10 mtr..) Complete Rate Group 1	30.00	P.Point	332.00	Rupees Three Hundred & Thirty Two Only	9960.00
2.00	Wiring of twin control light / fan / call bell point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) of approved make on surface ISI marked (IS:14927 P - II) PVC casing capping & it's accessories, round tles,18 SWG M.S. box with earth terminal, 6 A two way switch, 3.0 mm thick ISI marked phenolic laminated sheet, zinc plated / brass screws, cup washers, making connections, testing etc. as required.					
2.10	(IS:14927 P - II) PVC casing capping & it's accessories, round tles,18 SWG M.S. box with earth terminal, 6 A two way switch, 3.0 mm thick ISI marked phenolic laminated sheet, zinc plated / brass screws, cup washers, making connections, testing etc. as					
2.20	Short point (up to 3 mtr.) Complete Rate Group 1	5.00	P.Point	157.60	Rupees One Hundred & Fifty Seven and Paise Sixty Only	788.00
2.30	Medium point (up to 6 mtr.) Complete Rate Group 1	20.00	P.Point	237.60	Rupees Two Hundred & Thirty Seven and Paise Sixty Only	4752.00
2.40	Long point (up to 10 mtr..) Complete Rate Group 1	20.00	P.Point	333.60	Rupees Three Hundred & Thirty Three and Paise Sixty Only	6672.00
3.00	S&F following sizes of ISI marked (IS:14927 P - II) PVC casing capping along with accessories like coupler, inner, outer, elbow, square box, tee etc. on surface with screws, expansion fasteners					
3.10	20 mm x 12 mm Complete Rate Group 1	600.00	R.Mtr.	19.20	Rupees Nineteen and Paise Twenty Only	11520.00
3.20	50 mm x 50mm Complete Rate Group 1	250.00	R.Mtr.	108.00	Rupees One Hundred & Eight Only	27000.00
3.30	25 mm x 12 mm Complete Rate Group 1	100.00	R.Mtr.	22.40	Rupees Twenty Two and Paise Forty Only	2240.00
4.00	S&F following sizes (dia.) of ISI marked medium duty PVC conduit along with accessories in surface / recessed using saddles, clamps, fastener as required including cutting the wall, covering conduit and making good the same as required.					
4.10	20 mm Complete Rate Group 1	200.00	R.Mtr.	25.60	Rupees Twenty Five and Paise Sixty Only	5120.00
4.20	25 mm Complete Rate Group 1	200.00	R.Mtr.	33.60	Rupees Thirty Three and Paise Sixty Only	6720.00
4.30	50 mm Complete Rate Group 1	50.00	R.Mtr.	85.60	Rupees Eighty Five and Paise Sixty Only	4280.00

Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur

Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.



Contract No: NIB No-EE (Elect-IV)/12/2016-17



PRINT

Bidder
Name:

Less (-)





HELP



SCHEDULE OF WORKS

Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
5.00	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor ISI marked (IS:694) of 1.1 kV grade and approved make in existing surface or recessed conduit/casing capping including making connections etc. as required.					
5.10	2 x 1.5 sq.mm Complete Rate Group 1	750.00	mtr	20.80	Rupees Twenty and Paise Eighty Only	15600.00
5.20	2 x 2.5 sq.mm Complete Rate Group 1	510.00	mtr	32.80	Rupees Thirty Two and Paise Eighty Only	16728.00
5.30	2 x 2.5 sq. mm. + 1x1.5sqmm Complete Rate Group 1	180.00	mtr	42.40	Rupees Forty Two and Paise Forty Only	7632.00
6.00	P & F in position frame made out of M.S. angle (riveted or welded) finished with two coats of red oxide and enamel paint including cutting, welding, holes etc.of following sizes as required. 40mm x 40mm x 5mm Complete Rate Group 1	15.00	mtr	167.20	Rupees One Hundred & Sixty Seven and Paise Twenty Only	2508.00
7.00	P & F paper phenolic resin bonded laminates conforming to IS : 2036 - 1995 for boxes/ frames including making holes for switches etc, with brass screws, washers/ zinc plated nut and bolts as required. 6.4 mm thick Complete Rate Group 1	7.00	sqm	712.80	Rupees Seven Hundred & Twelve and Paise Eighty Only	4989.60
8.00	P&F 240/415 V AC MCB with positive isolation of breaking capacity not less than 10 KA (B/ C/ D tripping characteristic) ISI marked IS 8828(1996)]/ conforming to IEC 60898 in existing board/sheets including making connections, testing etc. as required.					
8.10	Single pole MCB					
8.20	6 A to 32 A rating Complete Rate Group 1	250.00	Each	120.80	Rupees One Hundred & Twenty and Paise Eighty Only	30200.00
8.30	Double pole MCB					
8.40	6 A to 32 A rating Complete Rate Group 1	70.00	Each	320.80	Rupees Three Hundred & Twenty and Paise Eighty	22456.00
8.50	Four pole MCB 6 A to 32 A rating Complete Rate Group 1	10.00	Each	734.40	Rupees Seven Hundred & Thirty Four and Paise Forty Only	7344.00
9.00	P&F Recessed/ Surface mounting heavy duty horizontal type sheet steel Distribution board phosphatised/ powder painted complete with suitable rating insulated copper bus bar, shorting link , neutral link, earth link and din bar,masking sheet, conforming to IS13032 & IS8623 including making internal DB terminations with copper lugs , testing etc. as required. Double door (Three phase)					
9.10	6 Way Complete Rate Group 1	6.00	Each	1656.00	Rupees One Thousand Six Hundred & Fifty Six Only	9936.00
9.20	8 Way Complete Rate Group 1	4.00	Each	1984.00	Rupees One Thousand Nine Hundred & Eighty Four Only	7936.00
10.00	P & F ISI marked (IS :3854) 6 amp. flush type switch including cutting hole in tile and making connection testing etc. as required. Complete Rate Group 1	280.00	Each	15.20	Rupees Fifteen and Paise Twenty Only	4256.00
11.00	P & F ISI marked (IS :3854) 16 amp. flush type switch including cutting hole in tile and making connection testing etc. as required. Complete Rate Group 1	280.00	Each	37.60	Rupees Thirty Seven and Paise Sixty Only	10528.00
12.00	P & F ISI marked (IS :3854) bell push surface type including making connection testing etc. as required. Complete Rate Group 1	50.00	Each	16.00	Rupees Sixteen Only	800.00
13.00	P & F of 3 pin 6 amp. flush type socket including cutting hole in tile and making connection testing etc. as required. Complete Rate Group 1	280.00	Each	16.00	Rupees Sixteen Only	4480.00



Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.					 VALIDATE	
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:		Less (-)		%		PRINT HELP
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
14.00	P & F 3/6 pin 16 amp flush type socket including cutting hole in tile and making connection testing etc. as required. Complete Rate Group 1	280.00	Each	41.60	Rupees Forty One and Paise Sixty Only	11648.00
15.00	P & F IS:371 marked 6 amp surface type ceiling rose including making connection testing etc. as required. Complete Rate Group 1	25.00	Each	14.40	Rupees Fourteen and Paise Forty Only	360.00
16.00	P & F ISI marked 6 amp bakelite batten/angle holder including making connection testing etc. as required. Complete Rate Group 1	70.00	Each	16.00	Rupees Sixteen Only	1120.00
17.00	P & F socket size flush type 120/280 watt rotary 5 step fan regulator including making connection te Complete Rate Group 1	250.00	Each	168.00	Rupees One Hundred & Sixty Eight Only	42000.00
18.00	P & F ISI marked flush/surface type buzzer including making connection testing etc. as required. Complete Rate Group 1	250.00	Each	40.00	Rupees Forty Only	10000.00
19.00	P & F following size mounting grid plates with cover plates					
19.10	1/2 Module Complete Rate Group 1	25.00	Each	55.20	Rupees Fifty Five and Paise Twenty Only	1380.00
19.20	3 Module Complete Rate Group 1	25.00	Each	59.20	Rupees Fifty Nine and Paise Twenty Only	1480.00
19.30	4 Module Complete Rate Group 1	25.00	Each	64.00	Rupees Sixty Four Only	1600.00
19.40	5/6 Module Complete Rate Group 1	25.00	Each	87.20	Rupees Eighty Seven and Paise Twenty Only	2180.00
19.50	8 Module Complete Rate Group 1	25.00	Each	128.80	Rupees One Hundred & Twenty Eight and Paise Eighty Only	3220.00
19.60	10/ 12 Module Complete Rate Group 1	30.00	Each	160.00	Rupees One Hundred & Sixty Only	4800.00
19.70	16/ 18 Module Complete Rate Group 1	25.00	Each	206.40	Rupees Two Hundred & Six and Paise Forty Only	5160.00
20.00	P & F following modular accessories made out of unbreakable and fire retardant poly carbonate with s					
20.10	6 A one way switch Complete Rate Group 1	25.00	Each	73.60	Rupees Seventy Three and Paise Sixty Only	1840.00
20.20	6 A bell push Complete Rate Group 1	20.00	Each	96.00	Rupees Ninety Six Only	1920.00
20.30	16 A one way switch Complete Rate Group 1	20.00	Each	110.40	Rupees One Hundred & Ten and Paise Forty Only	2208.00
20.40	6 A 3 pin shuttered socket Complete Rate Group 1	20.00	Each	96.00	Rupees Ninety Six Only	1920.00
20.50	16 A 6 pin shuttered socket Complete Rate Group 1	20.00	Each	151.20	Rupees One Hundred & Fifty One and Paise Twenty Only	3024.00
20.60	5 step fan regulator 2 Module Complete Rate Group 1	20.00	Each	368.00	Rupees Three Hundred & Sixty Eight Only	7360.00
20.70	Blanking plate Complete Rate Group 1	30.00	Each	15.20	Rupees Fifteen and Paise Twenty Only	456.00
20.80	25 Amp. 2 Module Socket Complete Rate Group 1	25.00	Each	155.20	Rupees One Hundred & Fifty Five and Paise Twenty Only	3880.00

Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.					 VALIDATE	
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:				Less (-)		% 
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
21.00	SITC of wall/ free standing floor mounted dust and vermin proof compartmentalised cubical panel made out of CRCA sheet , required hardware ,duly treated for derusting in 7 tank process with dephosphating and with powder coating on both side of panel in desired shade The panel having PU/ Neoprene rubber gasket of not less than 3mm thickness , separate detachable gland plate M.S. base channel ,hinged door with locking arrangement for equipment/switchgear . Thickness of sheet shall not be less than 1.6 mm up to 600 mm length / width of any compartment and be of 2.0 mm above 600 mm. Load bearing structure shall be of 2.0 mm thick sheet supported by base M.S. channel if required . Side walls and cable alley compartments having bolted type doors with / without detachable extension type structure. (only outer area on all sides shall be measured & panel to be fabricated from CPRI	8.00	sqm	2201.60	Rupees Two Thousand Two Hundred & One and Paise Sixty Only	17612.80
22.00	Supplying and fixing of Aluminium / Copper bus bar by means of SMC / DMC type insulator, high tensile nuts and bolts spring washers in existing panel including bending , cutting in required shape and size and colour coding with heat shrinkable PVC sleeves.					
22.10	Electrolytic grade Aluminium bus bar Complete Rate Group 1	8.00	Kg	336.00	Rupees Three Hundred & Thirty Six Only	2688.00
22.20	Electrolytic grade Copper bus bar Complete Rate Group 1	9.00	Kg	540.00	Rupees Five Hundred & Forty Only	4860.00
23.00	SF of (0-500) V range Volt meter on existing panel , making connection by PVC insulated copper conductor with PVC sleeves / channel etc. as required. Digital type Complete Rate Group 1	3.00	Each	880.00	Rupees Eight Hundred & Eighty Only	2640.00
24.00	SF of CT operated direct reading type Ampere meter on existing panel , making connection by PVC insulated copper conductor with PVC sleeves / channel etc. as required.					
24.10	Analog type (96 mm x 96 mm) Below 500 A Complete Rate Group	3.00	Each	300.00	Rupees Three Hundred Only	900.00
24.20	Digital type Below 500 A Complete Rate Group 1	3.00	Each	880.00	Rupees Eight Hundred & Eighty Only	2640.00
25.00	SF of 110/220 V, LED (22.5 mm dia) Indicating lamp with integral circuit, terminal block, including connection etc. as required. Red/yellow/Green colour Complete Rate Group 1	3.00	Each	120.00	Rupees One Hundred & Twenty Only	360.00
26.00	P & F of ac operated heavy duty 230 /440 Volt power contactor conforming to IS:13947-4-1/IEC:947-4-1 having provision of mechanical interlocking, auxilary contacts, Din rail mounting type including making connections, testing etc. as required.					
26.10	4 pole Power contactors with following AC 1 Rating 63 Amp Complete Rate Group 1	8.00	Each	2828.80	Rupees Two Thousand Eight Hundred & Twenty Eight and Paise Eighty Only	22630.40
26.20	100 Amp Complete Rate Group 1	8.00	Each	4595.20	Rupees Four Thousand Five Hundred & Ninety Five and Paise Twenty Only	36761.60
27.00	P&F of mechanical / digital time switch having following day / week programme and minimum 100 hours reserve and AC1 rating of 16-20 amperes including making connection, programming etc. as required One day & week reserve (digital type) Complete Rate Group 1	8.00	Each	4596.80	Rupees Four Thousand Five Hundred & Ninety Six and Paise Eighty Only	36774.40
28.00	SITC of Fixed / Draw out type 3 pole Air Circuit Breaker conforming to IS 60947 P - 2 in existing LT panel suitable for LT installation 440 V, 50 Hz and having adjustable over load short-circuit, earth fault and microprocessor based release with separate LED indication for each type of fault ,LCD display , Thermal memory at least 4NO & 4NC auxiliary contacts safety shutter and fault position acknowledgement mechanism . type ACB shall have separate indication for service, test, isolation, maintenance position, Breaking capacity Icu = Ics = Icw (1 sec) ,					


Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.					 VALIDATE	
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:				Less (-)		% 
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
28.10	630 A Rating , 50kA Complete Rate Group 1	4.00	Each	64616.00	Rupees Sixty Four Thousand Six Hundred & Sixteen Only	258464.00
28.20	1000 A Rating , 50kA Complete Rate Group 1	4.00	Each	66972.80	Rupees Sixty Six Thousand Nine Hundred & Seventy Two and Paise Eighty Only	267891.20
29.00	SITC of quick make and quick break 3 pole current limiting MCCB having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings and conforming to IS 60947-2 / IEC 60947-2 with front face and centralised adjustable, line load interchangeability, having positive isolation capability, provision for UVR , shunt trip , earth fault trip, push (test) to trip, including making connections with lugs & spreaders, etc. as required. With Thermal Magnetic release					
29.10	up to 100 Amp , 16 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu Complete Rate Group 1	8.00	Each	3400.00	Rupees Three Thousand Four Hundred Only	27200.00
29.20	up to 100 Amp , 25 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu Complete Rate Group 1	8.00	Each	3825.60	Rupees Three Thousand Eight Hundred & Twenty Five and Paise Sixty Only	30604.80
30.00	SITC of quick make and quick break 4 POLE current limiting MCCB having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings and conforming to IS 60947-2 / IEC 60947-2 with front face and centralised adjustable, line load interchangeability, having positive isolation capability, provision for UVR , shunt trip ,earth fault trip, push (test) to trip , including making connections with lugs & spreaders, etc. as required. With Thermal Magnetic release					
30.10	up to 100 Amp , 16 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu Complete Rate Group 1	8.00	Each	4640.00	Rupees Four Thousand Six Hundred & Forty Only	37120.00
30.20	up to 100 Amp , 25 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu Complete Rate Group 1	8.00	Each	5072.80	Rupees Five Thousand & Seventy Two and Paise Eighty Only	40582.40
31.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor of IS:1554 P-I / IS :7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,IInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size.					
31.10	16.0 Sq.mm 4 core Complete Rate Armoured	200.00	mtr	142.40	Rupees One Hundred & Forty Two and Paise Forty Only	28480.00
31.20	25.0 Sq.mm 3.5 core Complete Rate Armoured	200.00	mtr	166.40	Rupees One Hundred & Sixty Six and Paise Forty Only	33280.00
31.30	35.0 Sq.mm 3.5 core Complete Rate Armoured	150.00	mtr	201.60	Rupees Two Hundred & One and Paise Sixty Only	30240.00
31.40	50.0 Sq.mm 3.5 core Complete Rate Armoured	100.00	mtr	239.20	Rupees Two Hundred & Thirty Nine and Paise Twenty Only	23920.00
31.50	185.0 Sq.mm 3.5 core Complete Rate Armoured	100.00	mtr	733.60	Rupees Seven Hundred & Thirty Three and Paise Sixty Only	73360.00



Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.					<div>VALIDATE</div>	
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:		Less (-)		%	<div>PRINT</div> <div>HELP</div>	
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
32.00	Supplying and making one end termination with heavy duty single compression brass gland SIBG type, heavy duty aluminium lugs duly crimped with crimping tool, PVC tape etc for following size of Armoured PVC insulated & PVC sheathed/ XLPE aluminium conductor cable of 1100 volt grade as required of size.					
32.10	3.5 x 25.0 sq.mm Complete Rate	10.00	Per Set	91.20	Rupees Ninety One and Paise Twenty Only	912.00
32.20	3.5 x 35.0 sq.mm Complete Rate	10.00	Per Set	95.20	Rupees Ninety Five and Paise Twenty Only	952.00
32.30	3.5 x 50.0 sq.mm Complete Rate	10.00	Per Set	105.60	Rupees One Hundred & Five and Paise Sixty Only	1056.00
32.40	3.5 x 185.0 sq.mm Complete Rate	10.00	Per Set	316.00	Rupees Three Hundred & Sixteen Only	3160.00
32.50	4 x 16.0 sq.mm Complete Rate	10.00	Per Set	86.40	Rupees Eighty Six and Paise Forty Only	864.00
33.00	Pipe Earthing as per IS:3043 with perforated 3.0 Mtr. Long, 40 mm dia. ' B ' class G.I. Pipe including all accessories like nut, bolts, reducer, nipple, wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size 300mm x 300 mm and embodying the pipe complete with alternate layers salt and coke/ charcoal, testing of earth resistance as required. C.I. Cover, C.I. Frame of size 300mm x 300 mm and embodying the pipe complete with alternate layers salt and coke/ charcoal, testing of earth	10.00	Per Set	1320.00	Rupees One Thousand Three Hundred & Twenty Only	13200.00
34.00	Plate Earthing as per IS:3043 with G.I. Earth plate of size 600mm x 600mm x 6.0mm by embodying 3 to 4 mtr. below the ground level with 25 mm dia. G.I. 'B' class watering Pipe including all accessories like nut, bolts, reducer ,nipple, wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size300mm x 300mm complete with alternate layers of salt and coke/charcoal, testing of earth resistance as required. Complete Rate group-I	5.00	Per Set	3400.00	Rupees Three Thousand Four Hundred Only	17000.00
35.00	S & Laying following size earth wire/strip in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection etc. as required.					
35.10	8 SWG G.I. (Hot Dipped) Wire Complete Rate group-I	250.00	mtr	7.20	Rupees Seven and Paise Twenty Only	1800.00
35.20	25mm x 3mm G.I. (Hot Dipped) Strip Complete Rate group-I	25.00	mtr	46.40	Rupees Forty Six and Paise Forty Only	1160.00
36.00	S & Laying following size' B ' class G.I. Pipe confirming to IS : 1239 P - 1 (1990) with accessories for laying earth conductor/strip / cable in ground/surface/recess as required					
36.10	32mm dia Complete Rate group-I	50.00	mtr	187.20	Rupees One Hundred & Eighty Seven and Paise Twenty Only	9360.00
36.20	50 mm dia. Complete Rate group-I	50.00	mtr	286.40	Rupees Two Hundred & Eighty Six and Paise Forty Only	14320.00
37.00	P & F double ball bearing capacitor start, aluminium body & blade ceiling fan with down rod up to 30 cm with 3 x 1.5 sq.mm pvc insulated flexible copper conductor making connection testing etc. as required.					




Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.					 VALIDATE	
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:		Less (-)		%		PRINT HELP
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
37.10	1200 mm sweep Complete Rate Group-I	25.00	Each	1160.80	Rupees One Thousand One Hundred & Sixty and Paise Eighty Only	29020.00
37.20	1400 mm sweep Complete Rate Group-I	25.00	Each	1228.80	Rupees One Thousand Two Hundred & Twenty Eight and Paise Eighty Only	30720.00
38.00	P & F of capacitor start, metal body, metal blade three speed wall mounting fan of following sweep with the help of anchor bolts including making connection testing etc. as required. 400 mm sweep(Oscillating type) Complete Rate Group-I	20.00	Each	2119.20	Rupees Two Thousand One Hundred & Nineteen and Paise Twenty Only	42384.00
39.00	P & F capacitor start, three speed, oscillating type pedestal fan with adjustable height, of following size with cord and plug top as required. 400 mm sweep Complete Rate Group-I	20.00	Each	2017.60	Rupees Two Thousand & Seventeen and Paise Sixty Only	40352.00
40.00	P & F ISI marked (IS:2082) Horizontal storage water heater with outer casing made of M.S.sheet finished with anti-corrosive powder coating,inner tank made of pure electrolytic copper/stainless steel , Tubular copper sheathed and Nickel plated heating element/ twin ceramic cartridge heating element, stem type thermostat and thermal cut out,Dual indicating lamps for power supply and thermostat,PUF insulation, Pressure release valve,fusible plug etc. as required held in position with 4 no. rack bolts,duly wired with 3 core 2.5/4.0 Sqmm PVC insulated & sheathed copper conductor and 16 A/25A three pin plug top,including making inlet,outlet heavy gauge C.P.	4.00	Each	6177.80	Rupees Six Thousand One Hundred & Seventy Seven and Paise Eighty Only	24711.20
41.00	P & F strip type flourscent tube fitting fabricated from (CRCA sheet and finished with powder coating / stove enamelled paint) / (extruded non corrosive UV resist EP channel) complete with accessories (Low Loss Copper Choke, starter, starter seat) / Electronic Choke with terminal block duly prewired with copper conductor including making connection, testing etc. as required(
41.10	1 X 18 Watts with EB Complete Rate Group 1	600.00	Each	292.80	Rupees Two Hundred & Ninety Two and Paise Eighty Only	175680.00
41.20	1 X 36 Watts with EB Complete Rate Group 1	150.00	Each	301.60	Rupees Three Hundred & One and Paise Sixty Only	45240.00
42.00	P & F Flourscent tube rod in existing fixtures as required, Flourscent powder coated (minimum 3 star rating) 18/20 Watts Complete Rate Group 1	200.00	Each	47.20	Rupees Forty Seven and Paise Twenty Only	9440.00
43.00	P & F Ballast for existing FTL / CFL fixture as required.					
43.10	copper ballast 18/36 Watts suitable for FTL Complete Rate Group 1	150.00	Each	216.00	Rupees Two Hundred & Sixteen Only	32400.00
43.20	High frequency electronic ballast 14 watts for T5 Lamps Complete Rate Group 1	150.00	Each	495.20	Rupees Four Hundred & Ninety Five and Paise Twenty Only	74280.00
44.00	P & F Capacitors for power factor improvement in existing flourscent lamp fixture as required. 8 Mfd 250 V Complete Rate Group 1	3.00	Each	135.20	Rupees One Hundred & Thirty Five and Paise Twenty Only	405.60
45.00	P & F starter for existing flourscent lamp fixture as required. FSU Complete Rate Group 1	13.00	Each	8.80	Rupees Eight and Paise Eighty Only	114.40
46.00	P & F of surface/ recess mounting CFL luminaire made from powder coated CRCA sheet with aluminium reflector assembly electrochemically brightened and anodized cross louvers, complete with accessories copper ballast, starter, holder, terminal block duly prewired with copper conductor including making connections, testing etc. as required (without lamp)					
46.01	Surface mounting					

Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur						
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.						
Contract No: NIB No-EE (Elect-IV)/12/2016-17						
Bidder Name:		Less (-)		%		PRINT HELP
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
46.02	2 X PL-9/11 Watt Complete Rate Group 1	20.00	Each	1035.20	Rupees One Thousand & Thirty Five and Paise Twenty Only	20704.00
46.03	2 X PL-18 Watt Complete Rate Group 1	50.00	Each	747.20	Rupees Seven Hundred & Forty Seven and Paise Twenty Only	37360.00
46.04	Recess mounting					
46.05	2 X PL-9/11 Watt Complete Rate Group 1	18.00	Each	1012.80	Rupees One Thousand & Twelve and Paise Eighty Only	18230.40
46.06	2 X PL-18 Watt Complete Rate Group 1	100.00	Each	900.00	Rupees Nine Hundred Only	90000.00
47.00	P & F energy efficient / energy saving direct fit (Retrofit) composite self ballasted compact flourscent lamp (CFL) with PF >0.85 in existing holder / fixture as required.					
47.10	5 Watt Complete Rate Group 1	80.00	Each	121.60	Rupees One Hundred & Twenty One and Paise Sixty Only	9728.00
47.20	8/9 Watt Complete Rate Group 1	80.00	Each	135.20	Rupees One Hundred & Thirty Five and Paise Twenty Only	10816.00
47.30	11/13 Watt Complete Rate Group 1	35.00	Each	139.20	Rupees One Hundred & Thirty Nine and Paise Twenty Only	4872.00
47.40	14/15 Watt Complete Rate Group 1	35.00	Each	144.00	Rupees One Hundred & Forty Four Only	5040.00
47.50	18/20 Watt Complete Rate Group 1	100.00	Each	188.80	Rupees One Hundred & Eighty Eight and Paise Eighty Only	18880.00
48.00	P & F of IP 65 protected LED cabinet luminaire with 600mm length housing made of aluminium with unit boards of 6X 2W/ 12X1.1W LEDs, supply accessories(220 V, 50 HZ/ 24 V DC) complete in all respect. Available with 2 color options - white, warm white. Complete Rate Group 1	100.00	Each	7560.00	Rupees Seven Thousand Five Hundred & Sixty Only	756000.00
49.00	P & F Normal / High Output High pressure sodium vapour/ Metal halide / Halogen lamp as required. HPSV Tubular lamp Normal Output 150 Watt 15000 Lumens Complete Rate Group 1	80.00	Each	372.00	Rupees Three Hundred & Seventy Two Only	29760.00
50.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with Copper conductor of IS:1554 P-I / IS :7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,IIInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size.					
50.10	1.5 Sq.mm 2 core Complete Rate Armoured	1000.00	mtr	109.60	Rupees One Hundred & Nine and Paise Sixty Only	109600.00
50.20	2.5 Sq.mm 2 core Complete Rate Armoured	500.00	mtr	97.60	Rupees Ninety Seven and Paise Sixty Only	48800.00
50.30	4.0 Sq.mm 3 core Complete Rate Armoured	500.00	mtr	196.00	Rupees One Hundred & Ninety Six Only	98000.00

Signature of Tenderer with seal

Tender Inviting Authority: Jaipur Development Authority, Jaipur								
Name of Work: Annual Electrical Repair and maintenance contract of JDA Campus at JDA, Jaipur.								
Contract No: NIB No-EE (Elect-IV)/12/2016-17								
Bidder Name:					Less (-)		%	
SCHEDULE OF WORKS								
Sl. No.	Description of work	No. or Qty.	Unit	Estimated Rate		AMOUNT Rs. P		
				Figure	Words			
51.00	P & F of IP20 LED Recessed / Surface Mounted, Round / Square Non-Dimmable Downlight with die-cast aluminum housing & Heat Sink for heat dissipation, high purity reflector with external driver having efficiency > 85% and in compliance to IEC standards. Power Consumption of = 7W/ 10W / 15W / 18W with ~ 500 / 750 / 1100 / 1250 lumens, System Lumen efficacy of 70 lm / watt output suitable to replace 1x18W / 2x18W / 2x 26W CFL Downlights, life time of 50000 Burning Hours with 70% of initial Lumen maintained. CCT 3000°K , 4000°K & 6000°K. Fixture shall be CE compliance. Recessed Mounting LED Downlight 9/10W	120.00	Each	2152.00	Rupees Two Thousand One Hundred & Fifty Two Only	258240.00		
Total Estimated Cost in Figures							3414292.80	
Quoted Amount						3414292.80	3414293.00	
Quoted Rate in Words		Rupees Thirty Four Lakh Fourteen Thousand Two Hundred & Ninety Three						

Signature of Tenderer with seal