जयपुर विकास प्राधिकरण, जयपुर

इन्दिरा सर्किल, जे.एल.एन. मार्ग, जयपुर

क्रमांक / जविप्रा / अधि.अभि. / विद्युत – । / 2016 – 17 / डी –

दिनांक:

पूर्णकालीन बिड आमंत्रण सूचना

बिड संख्या- 22/2016-17

जयपुर विकास प्राधिकरण, अधिशाषी अभियंता (विद्युत — I) द्वारा जयपुर विकास प्राधिकरण की आवासीय योजना स्वर्ण विहार में विद्युतीकरण कार्य के लिए स्वीकृत राशि रू. 290.33 लाख की निविदा दिनांक 11.02.17 सायंकाल 6:00 बजे तक ऑन लाईन निविदा आमंत्रित की जाती हैं। विस्तृत विवरण, जो कि निविदा प्रपन्न में उपलब्ध है, अद्योहस्ताक्षरकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल www.sppp.raj.nic.in व www.eproc.rajasthan.gov.in एवं जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर देखी जा सकती है।

निविदादाता को निविदा में भाग लेने हेत् आवश्यक है कि :-

- 1. जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो। निविदा शुल्क व आर.आई.एस.एल. प्रक्रिया शुल्क केवल ऑन लाईन ही देय होगी। बोली प्रतिभृति ऑनलाईन अथवा बैंक गारन्टी के द्वारा दी जा सकती है।
- 2. ऑन लाईन निविदा में भाग लेने हेतु राजस्थान सरकार के पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशाषी अभियन्ता (विद्युत—।) जविप्रा, जयपुर।

JAIPUR DEVELOPMENT AUTHORITY

Room No. CCC-B-1, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004 Telephone: +91-141-2569696 e.mail: <u>ee.electric1@jaipurjda.org</u>

No:- JDA/EE-Elect-I/2016-17/D-

Dated:

NOTICE INVITING BID

NIB No.: 22/2016-17

Online Bids are invited up-to 6.00 PM of 11.02.2017 for Electrification work JDA residential scheme Swarn Vihar, Muhana Mandi, Zone-8, Jaipur" estimated cost of Rs 290.33 lacs. The last date for applying bid and making online payment on JDA portal is up to 6.00 PM dated 11.02.17. Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in

To participate in the bid, bidder has to be:

- 1. Registered on JDA website www.jaipurjda.org for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee online only. The Bid Security may be deposited through online or Bank Guarantee.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan. gov.in for online e- Bid submission.

Executive Engineer-(Elect-I) JDA, Jaipur

JAIPUR DEVELOPMENT AUTHORITY

Room No. CCC-B-1, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 Telephone: +91-141-2569696

No:- JDA/EE-Elect-I/2016-17/

Dated:

NOTICE INVITING BID

NIB No.: 22/2016-17

Name & Address of the Procuring Entity	 Name: Executive Engineer-Elect-I, Jaipur Development Authority Address: Room No. CCC-B-1, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan) ➤ Email:- ee.electric1@jaipurjda.org 				
Subject Matter of Procurement	➤ Electrification work JDA residential scheme Swarn Vihar, Muhana Mandi, Zone-8, Jaipur ➤ JDA/EE Zone 8/A & F/2015-2016/Feb/NR-239 / Date:12/02/2016				
Bid Procedure	Single Bid eBid procedure at http://eproc.rajasthan.gov.in				
Bid Evaluation Criteria (Selection Method)	➤ (eg.Least Cost Based Selection (LCBS)-L1)				
Websites for downloading	➤ Websites: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in,				
Bidding Document,	www.jda.urban.rajasthan.gov.in				
Corrigendum's, Addendums, etc.					
Website for online Bid application	➤ Website: www.jaipurjda.org				
and payment *	➤ For participating in the Bid, the Bidder has to apply for this Bid and pay				
	the Bidding Document Fee, RISL Processing Fee and Bid Security				
	Deposit, online only.				
	o Bidding document fee: Rs. 1000/- (Rupees One Thousand only)				
	o RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only)				
E di La IR	Requisite Bid Security Deposit				
Estimated Procurement Cost	➤ INR 290.33 Lacs				
Bid Security Deposit	➤ Amount (INR): 2% (Rs. 580660.00) of Estimated Procurement Cost, 0.5% (Rs. 145165.00) of S.S.I. of Rajasthan, 1% for Sick Industries, other than S.S.I., whose cases are pending with Board of Industrial & Financial Reconstruction				
	➤ (* 2% for bidder who is A and AA class contractor registered in other Govt. Department) / 0.5% for bidder registered as contractor AA, A,B,C in JDA				
	➤ Micro small medium Enterprises situated in Rajasthan Tender fee 50% EMD value 0.5%				
	➤ In case of Departments of the state govt. and undertaking, corporations, Autonomous bodies, Registered societies, cooperative Societies which are owned or controlled or managed by the state Govt. and Govt. undertaking of the central Govt. shall submit a bid securing declaration in lieu of bid security.				
Date/time/place of Pre-Bid	≻N/A				
_	➤ Last date of submitting clarifications requests by the bidder <date and="" time=""> addressed to the procurement entity at <address entity="" of="" procurement=""></address></date>				
Applying bid and making online	➤ Start Date: 13.01.2017 at 9.30 AM onwards				
payment on JDA portal	➤ End Date: 11/02/2017 at 6.00 PM				
(www.jda.urban. rajasthan. gov.in	➤ In case EMD in form BG original bank guarantee is to be submitted in				

	room no(Room no. of DD(E&B) of main building, JDA, Jaipur by 13/02/2017 upto 6.00 PM
Bid submission on e-procurement	➤ Start Date: 13.01.2017 at 9.30 AM onwards
portal of GOR	➤ End Date: 11/02/2017 at 6.00 PM
(www.eproc.rajasthan.gov.in)	
**Date/ Time/ Place of Technical	➤ 15/02/2017 at 4.00 PM
Bid Opening	➤ Room No. CCC-B-1, Third Floor, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan)
Date/ Time/ Place of Financial Bid	≽NA
Opening	
Bid Validity	➤120 days from the bid submission deadline
Time Period	➤ 03 Months

^{*}Jaipur development authority has decided to receive earnest money deposit (EMD) (Bid Security), Tender fee and RISL processing fee online through JDA portal. The bid security options available in tender for participants are as mentioned below:-

Note:

- 1. Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
- 2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safe crypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in (bidders already registered on <a href="http://eproc.rajasthan.g
- 4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
- 6. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot.
 - Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur
- 7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

^{*} There should be a gap of 3 working days **BETWEEN** End Date for Bid Applying, Online Payment & Bid Submission **AND** Bid opening date.

Jaipur Development Authority, Jaipur Subject: Payment mechanism for participating in tender

Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security) Tender fee and RISL processing fee online through JDA portal. The bid security options available in tender for participants are as mentioned below:

A. Payment Options:

Option-1: Bank Guarantee (BG). against EMD I Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security) for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through **Payment Gateway only**, option to make balance payment through EFT (RTGS/NEFT) will not be available

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT/RTGS) will be available

Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGSL "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 2 days prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from **anywhere any time** till the closing date & time of bid participation

B. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis
- In case complete payment is done through EFT (NEFTIRTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

<u>SCHEDULE 'A'</u>: <u>INFORMATION USE FULL FOR THE CONTRACTORS</u>:

The bidder should see the site and fully understand the condition of the site before biding and include all lead, lifts etc. for the material in his item rate / percentage to the quoted on the rates as given in schedule 'G'. Then work shall be carried out in accordance with the Rajasthan PWD specification for electric works1980 and to the entire satisfaction of the Engineer-Incharge of the work.

SCHEDULE 'B':LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

SCHEDULE 'C':LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor Nil. But the contract or shall have to arrange drawings required for the work at his own cost after deposition necessary cost within JDA.

SCHEDULE 'D': TEST OF THE MATERIALS:

The test of the material and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to be standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works

Deptt. proper quality control is required to be maintained by the contractor. Qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The Deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account incase of his failure to do so.

SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer In-charge and be got approved by him before use.

SCHEDULE 'F': TIME OF COMPLETION:

The work should start within 15 days of issue of work order and completion within months/days.

SCHEDULE 'G': ATTACH SEPARATELY SCHEDULE 'G' BASED ON 2016 JDA BSR (Elect) RAJASTHAN JAIPUR /JDA APPROVED.

SCHEDULE 'H': SPECIAL CONDITION ATTACHED SEPARATELY.

SCHEDULE 'I': LIST F THE MATERIAL TO BE SUPPLIED BY THE DEPTT.

Whatever material available in JDA store shall be issued @ the prevailing store issue date of JDA + 5% storage charges at the time of issue of cement.

Signature of Contractor with full address.

Executive Engineer (Elect.-I) JDA, Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

- 1. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- 2. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule1971.
- 3. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
- 4. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 5. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
- 6. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the bids.
- 7. By submission of this bid the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.

- 8. No conditions are to be added by the contractor and conditional bid is liable to be rejected.
- 9. All transaction in this execution of this work and this bid will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
- 10. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 7 or mutually extended period or makes modifications in the rate, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a bid does not execute the agreement or start the work or dose not complete the work and the work has to be put to rebidding he will stand debarred for 6 Months from participating of bidding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement.
- 11. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
- 12. The contractor shall arrange his own storage tanks up to 10 Tones capacity for storage of bulk bitumen wherever supplied by the department.
- 13. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for biding can be allotted to them, Therefore, before biding the contractor will keep this in mind, and submit the details of the work. Bids with incomplete or incorrect information are liable to be rejected.
- 14. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
- 15. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
- 16. The rates provided in bid documents are inclusive of all Taxes and royalty.
- 17. For paver work at lest 3 road rollers shall be simultaneously deployed.

- 18. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
- 19. Undersigned has full right to reject any or all bids without given any reasons.
- 20. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
- 21. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act.
- 22. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable
- 23. The bidders are required to submit copy of their enlistment as contractor.
- 24. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
- 25. Any bid received with unattested cutting/ overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
- 26. All the provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT 2012 and Rules 2013 shall be applicable.

SIGNATURE OF CONTRACTOR WITH FULL ADDRESS:

EXECUTIVE ENGINEER Elect.-I,
JDA JAIPUR

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Special Terms & Conditions for Electrification work.

The Contractor has to give the performance guarantee of the following materials for the period mentioned against them from the date of completion of work:

(a)	Transformers	30 Months
(b)	All types of Insulators	18 Months
(c)	ACSR Conductors	6 Months
(d)	Isolators	6 Months
(e)	Horn gap fuse set	6 Months
(f)	LT Pillar Box	6 Months
(g)	All types of HT/LT cables	18 Months

- 1. DLP period for various type of above works will now be governed by Director (Engineering-I) office order no. 29 dated 11.03.2016 (Copy Enclosed named by DLP period)
- 2. The Contractor has to arrange for the permission for the charging of electrical system from the Electrical Inspector Govt. of Rajasthan. He will have to deposit the necessary fees, which shall be reimbursed by Jaipur Development Authority.
- 3. The contractor will coordinate for the system handing over and charging process and if any defects, is pointed out by the RSEB/JVVNL, then he will have to rectify the same.
- 4. The final bill shall be paid after the lines and substations are handed over to RSEB/JVVNL and system is charged.
- 5. Inspection shall be bear by the contractor it self.
- 6. The material shall be purchased from the firms, which are also supplying the material to RSEB/JVVNL.
- 7. All HT/LT cables should be sequentially marked with cable size & length duly embossed.
- 8. The contractor shall return unused material issued to him by the deptt. If desired by the Engineer in-charge and in case, of failure to do so he shall be charged for such unreturned material at double the issue rate including storage and supervision charges or the market rate whichever is higher. The basis of the theoretical consumption and allowing for wastage @ 5% at double the issue rate including storage and supervision charges or market rate which ever is higher.
- 9. The contractor shall be fully responsible to follow safety code as per IS 3764:1992 (upto date). The work should be executed without damaging existing water pipe line, LT/HT electric under ground cable, poles, existing surface drain, water connections, Telephone cables etc. In case of any damages the penalty/ liability imposed for such work shall be borne by the contractor and shall be got repaired immediately by arranging material/ labor/ assistance etc. In case of delay JDA reserve right to execute/ get executed the work at the cost and risk of the contractor.
- 10. It is a mandatory condition that contractor will get all insulated material tested from CTL of JVVNL before using it at site.

Executive Engineer (Elect-1) JDA, Jaipur.

I carefully study & do agree for above terms & conditions.

Signature & Seal of the Contractor

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR.

DETAILED SPECIAL CONDITION AND SPECIFICATIONS

- 1. The scope of the Schedule 'H' and 'G' comprises Street light work in the multi level parking at JDA Campus mentioned in the Schedule 'H'.
- 2. The tubular poles are proposed to be erected generally in the median strip of the road or sides unless otherwise instructions are given to change the alignment.
- 3. The road in question in national, highway/important only road and as not only heavy traffic passes through the road but all the VIPs also pass through it the before it will be the contractor responsibility the provide all retardates caution signs during the execution of work at his own cost in order in to avoid any miss happening.
- 4. No opening shall be left uncovered during night. The bidder shall make all arrangement to avoid any claim if preferred on his account shall be the liability of the bidder.
- 5. No road or part of the road shall be cut without taking the prior permission in writing from the competent authority. The permission shall be arranged by bidder on the request of JDA. However, any changes will be borne by JDA.
- 6. The contractor shall be deemed to have carefully examined the specifications general condition and bid drawing etc. and they have been fully informed and have satisfied himself as to the nature and character of the work to be executed site conditions and other relevant matters and details.
- 7. References to standards code specifications recommendation shall mean the attested addition of such publications of the work to be executed at site before the date of invitation to submit proposals.
- 8. The excavated material shall be place within 1.5 Mtr. of the edge the half of the depth of the trench with have is more side clear shall be done within 24 hours.
- 9. The work shall be carried out strictly Dom plying within Indian Electricity Rules in force and as per specifications for Electrical and lift work issued by PWD Raj., Jaipur 1980 or any other IS code for this work.
- 10. **Trenching**: The trenches shall be of shaper size as instructed by the Engineer-in-Charge.
- (a) Width
- (i) The minimum width of trench for laying single cable shall be 35 Cm.
- (ii) Where more than one cable is to be laid in the same trench in horizontal formation. The width of the trench shall be increased such that the spacing between the cables shall be at least 20 Cm.
- (b) <u>Depth</u>

- (i) Where cable core laid in single tier formation in the total depth of shall not be less than 75 cm for cable up to 1.1 KV.
- (ii) When more than one tier of cable is unavoidable and vertical formation of laying is adopted depth of trench in (i) above shall increase by 30 cm for each additional tier to be formed.
- (iii) The depth shall be 1.0 Mtr. of 11 KV, 1.5 Mtr. for 33 KV.

(c) <u>EXCAVATION</u>

The trench must be excavated straight and if it is necessary to give any band or curve radius of such trench shall be at least 12 time the over all diameter of the cable.

(d) PLACING OF THE CABLE

The cable must be places in the trench on band of fine sand of 8 cm thick bed, and the cable shall be laid below water and sewer lines.

(e) For the safe guard of cable it must have covering of clean dry river sand or any other type of soil as directed by Engineer-in-Charge is not less than 17 cm.

(f) PROTECTION

To protect the cable against mechanical damages the second class bricks or stone katla as specification shall be placed over the cable width wise.

11. Satisfactory type / acceptance test that results wherever applicable conducted from Govt. / Govt. approved laboratory as per ISS shall be submitted prior to use. The routine tests of cable shall be conducted only after delivery at site at his own cost.

12. EARTHING

The ground earthing shall be done generally confirming to IS specification of 3043-1966 all the work earth terminal be provided duly crimped / soldered.

13. CONTROLLING PANELS

The controlling panels such as main panel service pillar-box and fuse boxes are to be installed in span. The rubber gasket bedding of high quality rubber is to be provided around all operable parts. The all-hard works should be made corrosion resistant giving all chemical treatment before its fabrication and before final coat desired colour painting and red oxide primer should be applied. All internal connectives are be made with PVC insulated copper conductor with copper lugs dully crimped. The internal wiring shall be arranged with clips the bus bars and connection shall consists of drawn high conductivity copper strip with PVC 3 leaves tops of phase colours.

14. SUBMISSION OF DRAWING BY THE CONTRACTOR

The following two drawing are required to be submitted by the contractor.

- (i) Main Panel Drawing: The contractor shall submit the drawing of main panel all dimensions all internal connection of diagram, well before its fabrication and obtain prior approval of the drawings from the competent authority.
- (ii) Completion drawings: The contractor shall submit the completion drawings of the project showing the roots of the cable and position of panel etc.

15. TESTING

The following test shall be performed by the contractor at his own cost.

- (i) **Continuity and installation test of cable**: The contractor shall arrange for the continuity of cable for well use of the perfect of the cable.
- (ii) Mager Testing: The whole installation shall be arranged to be test by contractor after its completion shall in presence of Engineer-in-Charge and result shall be recoated and signed jointly.
- 16. **Earthing Testing**: Earth test shall be performed by the contractor and results will be used be recorded and signed jointly.
- 17. Any other test for cable etc. required shall be arranged by the contractor.
- 18. No condition of any short except as provided in the printed from schedule of quantities will be entertained.
- 19. Conditions given in the bid from apply in full.
- 20. The contractor shall have to obey the labour laws. The labour shall have to pay monthly and shall have first line on the bill of contractor, in case of complaint of labour and non-payment of wages is received to the department.
- 21. The rate of every item should be quoted against each in figures and in words as well for complete Non BSR Items.
- 22. In case of any typographical error in nomenclature, unit and rate, the rates as per BSR on which 'G' Schedule is prepared shall be binding on the bids.
- 23. In case of any dispute the Executive Engineer (Elect-I) decision shall be final.
- 24. The bidders are expected to be fully conversant with the general and special conditions of contract in force in this office. They must see the site of work acquaint themselves of the position of the materials, Fluctuation of the rates in the market, see the schedule and plans in the office and remove doubts, if any, before submitting their bids.
- 25. The JDA is not responsible for arranging any material whatsoever any the contractor will have to complete the work within the specified time with specified material and approved accessories, from the stock, non-availability of material or delay in the consignment will not be entertained to as an excuse for extension of time for completion of work.
- 26. Contractor will not be paid extra for sales or any other tax.
- 27. Bids must be submitted on the prescribed forms duly signed by the bids on every page.
- 28. All entries by the bidder should be in on ink only. Erasers and over writings are not permissible. All cancellation correction and insertions must be signed by the bidder. If any rates are not quoted, bid will be rejected.
- 29. Rate quoted should be given for the work; separately in words and figures in case there is any difference in rates between words and figures the lower of the two will be taken as correct.

- 30. All the papers signed by the parties to this contract and bond together and sealed shall deemed to form part of the contract bond and shall be read as conditions of contract.
- 31. In every case in which by virtue for the provisions of section 12 sub section (I) of the Workman's Compensation Act, 1923 cost is obliged to pay compensation to a workman employed by the contractor of by a sub contractor for execution to said work Govt. will recover from the contractor the amount of the compensation paid and without prejudice to the rights of Govt. under section 12 sub section (2) of the said Act, Govt. shall be at liberty to recover such amount or any part there of by deducting if from the earnest money deposited by the contractor to his credit or any other sum due by Govt. to the contractor whether under this contract or other wise.
- 32. The contractor should have submit safety certificate for equipment each year separately in maintenance period.
- 33. The contractor shall arrange the certificate from electric inspector on completion of the electric installation at his own however any fee to be paid on this account shall be paid by the JDA.
- 34. The entire material should be as per JDA Elect. BSR 2016 of Electrical work of Schedule 'G' & specified main materials of schedule 'H' and shall be of ISI marked.

I/We have carefully study the instructions / conditions mentioned above & do hereby undertake to agree for the same.

SIGNATURE OF CONTRACTOR WITH FULL ADDRESS:

EXECUTIVE ENGINEER (Elect-I), JDA, JAIPUR

Note:

- 1. किसी भी निविदा को बिना कारण बताए निरस्त किया जा सकता है।
- 2. आवेदक / संवेदक को निविदा प्राप्त करने के लिए आवेदन के साथ पंजीयन प्रमाण पत्र की प्रति प्रस्तुत करना अनिवार्य है।
- 3. आवेदक / संवेदक को निविदा प्रपत्र पर अपना पता एवं दूरभाष नम्बर अंकित करना अनिवार्य है।

Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of interest. A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
- a. Have controlling partners/shareholders in common; or
- b. Receive or have received any direct or indirect subsidy from any of them; or
- c. Have the same legal representative for purposes of the Bid; or

- d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Annexure B : Declaration by the Bidder regarding Qualifications Declaration by the Bidder

In relation to my/our Bid submitted to	•
in response to	· ·
Dated I/We hereby declare	under Section 7 of Rajasthan
Transparency in Public Procurement Act, 2012, that:	
1. I/We possess the necessary professional, technical, financi	ial and managerial resources and
competence required by the Bidding Document issued by the	e Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the	e taxes payable to the Union and
the State Government or any local authority as specified in th	ne Bidding Document;
3. I/We are not insolvent, in receivership, bankrupt or being	ng wound up, not have my/our
affairs administered by a court or a judicial officer, not h	nave my/our business activities
suspended ant not the subject of legal proceeding for any of t	the foregoing reasons;
4. I/We do not have, and our directors and officers not have	e, been convicted of any criminal
offence related to my/our professional conduct or the	making of false statements or
misrepresentations as to my/our qualifications to enter into	a procurement Contract within a
period of three years preceding the commencement of this p	procurement process, or not have
been otherwise disqualified pursuant to debarment proceeding	ngs;
5. I/We do not have a conflict of interest as specified in	the Act, Rules and the Bidding
Document, which materially affects fair competition;	
Date :	Signature of bidder
Place:	Name :
	Designation:

Address:

Annexure C: Grievance Redressal during Procurement Process

(1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved: Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;

(e) Applicability of the provisions of confidentiality.

(5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
- (i) Hear all the parties to appeal present before him; and
- (ii) Peruse or inspect documents, relevant records or copies there of relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass and order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

FORM No. 1

[See Rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal No	of
Before the	(First/Second Appellate Authority)
1. Particulars of appellant :	
(i) Name of the appellant :	
(ii) Official address, if any:	
(iii) Residential address:	
2. Name and address of the res	spondent (s):
(i)	
(ii)	
(iii)	
3. Number and date of the	order appealed against and name and designation of the
officer/authority who passed	the order (enclose copy), or a statement of a decision, action or
omission of the Procuring Ent	tity in contravention to the provisions of the Act by which the
appellant is aggrieved:	
4. If the Appellant proposes	to be represented by a representative, the name and postal
address of the representative:	
5. Number of affidavits and do	ocuments enclosed with the appeal:
6. Grounds of appeal:	
(Supported by an affidavit)	
7. Prayer :	
Place	
Date	

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;

ii. It there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due tochange in circumstances, the

Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.

(iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

No. JDA/Ex.En. (T.A to Dir. Engg.-I)/2016/D-29

Dated: 11/3/2016

Office Order

Subject: - DLP period for various type of works.

As per the decision taken in the 201st meeting of Executive Committee held on 23.02.2016 w.r.t. agenda no. 201:22, DLP period of various natures of works amounting more than Rs. 25 lakhs has been revised as per following time periods based on nature of works.

This order will supersede the earlier orders issued in this regard i.e. order No. JDA/TA to D(E)/2010-11/D-317 dated 28.04.2011 including Special Condition No. 2.2.2 & 2.2.3 of Annexure-I related to SD refund & forfeiture (other Special Condition of annexure-I of this order will remain valid) and order No. JDA/Ex.En.(Pt.-5 & TA)/2013/D-43 dated 27.02.2013 and also all pertaining orders, in contract agreements or in PWF&AR having DLP period different than what is being enforced through this present order for concerned type of work.

<u>Table-I</u>							
S.No.	Type of Work	Existing DLP Period	As per approved in E.C. held on 23.02.2016				
1.	Bridge Work	3 years	5 Years				
2.	CD Work	3 years	5 Years				
3.	CC Road, PQC Work	3 years	5 Years				
4.	CC tiles/Kerbs/medians	3 years	5 years				
5.	Drains	6 months	3 years				
6.	Roads						
	(i) Two layer WBM/GSB	3 years	6 Months or one full rainy season which ever is later				
	(ii) For Renewal/Strengthening						
	(a)BT upto 30 mm thichness	3 years	1 year 2 years				
	(b)BT above 30 mm to upto 40	3 years					
	(c)BT above 40 mm to upto 90 nim	3 years	3 years				
	(d) ET Above 90 mm	3 years	5 years				
	(iii)New Roads						
	(a) BT upto 90 mm	3 years	3 years				
	(b) B1 more than 90 mm	3 years	5 years				
7.	Compound wall	6 months	3 years				
8.	Buildings work						
	(i) Work pertaining to Sanitary works electrical works. Joinery works and painting works.	6 months	2 years				
	(ii) Work pertaining to Building structure and other civil works.	6 months	5 years				
9.	Electric work except maintenance	6 months	3 years				
10.	Sewer/Water supply all including STP and water supply related work except maintenance works.		3 years				

Ph. circulate crpy to me all A'Dis | Acott of to me

The release of SD amount shall be as per following table:-

Table-II

S. No.	Released SD DLP period	1st year	2nd year	3rd year	5th year
1. •	Upto 1 year	100%	40%	20%	10%
2.	Upto 2 year		60%	20%	10%
3.	Upto 3 year	to the last on the same of the same		60%	10%
4.	Upto 4 year				20%
5.	Upto 5 year				50%

Various conditions for managing DLP are as under:-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/drains etc (as per different categories in Table I), DLP shall be operative based upon type of individual item ex:-CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (fii) If any work, amount is less than Rs. 25 lakhs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lakhs, DLP shall be operative as per rule for each individual item.
 - (iv) Similarly if any work is more than Rs. 25 lakhs but after finalization amount of work is less than Rs. 25 lakhs. DLP should be operative for six months or rainy season whichever is late.
 - (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted from JDA for three years as per RTPP Rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
 - (vi) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
 - (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
 - (viii) In case IDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted:
 - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt, as per table III.

% Recovery on Withdrawal of DLP, of work order DLP period	awal of DLP, of		3 year	4 year	5 year	
1 year	1.12	-	-	-	-	
2 year	2.55	1.43	1 m	-	-	
3 year	4.38	3.26	1.83	-	-	
5 year	9	7.88	6.45	4.62	2.47	

Note:- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD, same shall be recovered from other works and as per PDR rules. The amount as per Table III is also to be deducted in addition to this amount.
- (ix) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

This order shall come in force with immediate effect and will be applicable on all new works whose NIB is to be called.

Director (Engineering-I) JDA, Jaipur

Copy to following for information and necessary action:-

- 1. PS to IDC, JDA, Jaipur
- 2. PS to Secretary, JDA, Jaipur
- 3. Director Engineer I/II, JDA, Jaipur.
- 4. Director (Fin.), JDA, Jaipur
- 5. C.F, JDA, Jaipur.
- 6. All Add. Chief Engineers, JDA, Jaipur.
- 7. All Superintendent Engineers, JDA, Jaipur.
- 8. OSD (RM), JDA, Jaipur.
 - 9. Additional Director (REV.&DP.)
 - 10. CAO (P&A) JDA, Jaipur.
 - 11. Sr. Horticulturist, JDA, Jaipur
 - 12. All Executive Engineer, JDA, Jaipur.
 - 13. DD (E&B) JDA, Jaipur.
 - 14. All AOs, JDA, Jaipur.
 - 15. All AAOs, JDA, Jaipur.
 - 16. System Analyst
 - 17. All Contractors' Association, JDA, Jaipur.
 - 18. Guard file

S.E. & TA to Dir. (Engg.-I)
JDA, Jaipur

Jaipur Development Authority, Jaipur

Subject: Payment mechanism for participating in tender

Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security) Tender fee and RISL processing fee online through JDA portal. The bid security options available in tender for participants are as mentioned below:

A. Payment Options:

Option-1: Bank Guarantee (BG). against EMD I Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security) for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through **Payment Gateway only**, option to make balance payment through EFT (RTGS/NEFT) will not be available

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT/RIGS) will be available

Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGSL "Paying Slip for EFT (NEFT/RTGS}" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 2 days prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from **anywhere any time** till the closing date & time of bid participation

B. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis
- In case complete payment is done through EFT (NEFTIRTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

Executive Engineer - Elect-I

Print

Help

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR Name of Work: Electrification work JDA residential scheme Swarn Vihar, Muhana Mandi, Zone-8, Jaipur

Bidder Name :	Name :						
PRICE SCHEDULE							
SI. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words	
	No. :1 - 33 KV Charging work						
	Supply & Erection of lattice structure of height 11 mtr in alignment, including excavation of pit and Providing and laying of cement concrete in ratio 1:3:6 using 43 grade cement, river sand and 12 mm to 20 graded blast crusher broken in pit/ found cement plaster upto 0.50mtr. from top to bottom in 1:3:6 ratio and paint of tower of approved make two coat of red oxide paint and one coat of aluminium paint before installation and one coat of paint after irrection work completed as per technical specifications & drawing of DISCOM.	6.00	Each	24400.00	146400.00	INR One Lakh Forty Six Thousand Four Hundred Only	
	Supply of Fabricated 33 KV of 'V' type cross arms made of MS channel 100x50 ISMC (9.5Kg. Per Mtr.) on the existing poles complete including all necessary nut and bolt etc with clamps as per technical specifications & drawing of DISCOM. Complete Rate Group 1		Each	1012.00	6072.00	INR Six Thousand &Seventy Two Only	
	Supply and fixing of top hamper on the existing pole complete including nut bolts etc as required. Vertical type 33 kV. 0.75mtr. IS 75x75x6mm as per tech specs. Of DISCOM (Steel weight 6.5Kg. Approx. per top hamper). Complete Rate Group 1	6.00	Each	280.00	1680.00	INR One Thousand Six Hundred & Eighty Only	
	Supply and fixing 33kV pin insulator(IS 731/ 1971) with minimum creepage distance of 300mm on existing bracket including all accessories like hot dipped GI spindle and nuts etc as per technical specifications & drawing of DISCOM. Complete Rate Group 1		Each	360.00	2160.00	INR Two Thousand One Hundred & Sixty Only	
	Supply and fixing 33kV Disc insulator 120KN (IS 731/1971) with minimum creepage distance of 300mm on existing bracket including all accessories like hot dipped GI spindle and nuts etc (as per specification of Discom). B & S type hardware 120KN Complete Rate Group 1		Each	600	10800.00	INR Ten Thousand Eight Hundred Only	
	B & S disc insulator 120KN Complete Rate Group 1	36.00	Each	500.00	18000.00	INR Eighteen Thousand Only	
	Supply and fixing of 33 KV, 630 Amp 3 pole, central pot rotating double break type isolator (IS: 9921 part I to V) without earth blade operating mechanism with GI spring loaded reverse loop type fixed contact, solid hard drawn electrolytic copper tubular moving contact with silver / nickle platedat and points, 18 nos post insulator of 12 KV (IS 2554 & IS 5350 part III), hot dipped galvanising hard ware, nut, bolts etc. complete in all respect as per specification of Discom (Type tested by ERDA CPRI)	6	Each	26910	161460.00	INR One Lakh Sixty One Thousand Four Hundred & Sixty Only	
	Plate Earthing as per IS:3043 with G.I. Earth plate of size 600mm x 600mm x 6.0mm by embodying 3 to 4 mtr. below the ground level with 25 mm dia. G.I. 'B' class watering Pipe including all accessories like nut, bolts, reducer ,nipple, wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size300mm x 300mm complete with alternate layers of salt and coke/charcoal, testing of earth resistance as required. Complete Rate group-I	12.00	Per Set	3400.00	40800.00	INR Forty Thousand Eight Hundred Only	

Bidder Name :							
	PR	ICE SCHEE	ULE				
SI. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words	
	S & Laying following size' B 'class G.I. Pipe confirming to IS: 1239 P - 1 (1990) with accessories for laying earth conductor/strip / cable in ground/surface/recess as required 125 mm dia. Complete Rate group-I	72.00	mtr	740.00	53280.00	INR Fifty Three Thousand Two Hundred & Eighty Only	
	Supply & fabrication steel structure with MS channel / angle / joist / ISMB / sheet etc. including welding, rivetting, cutting, nut & bolt, Painting etc. as required. Complete Rate Group-I	300	Kg	67.2	20160.00	INR Twenty Thousand One Hundred & Sixty Only	
	S/F cable route marker with 10cm x 10cm x 5mm thick or of 10cm dia. G.I.plate with inscription thereon, bolted/welded to 35mm x 35mm x 6mm angle iron,60cm long and fixing the same in ground in C C (1:3:6) as required Complete Rate	28.00	Each	120.00	3360.00	INR Three Thousand Three Hundred & Sixty Only	
	P & Laying XLPE insulated IS:7098/II/85 of Group1 and approved make H.T.cable for working voltage 33 K.V.Earthed direct in ground including excavation of 30cmx120cm size trench, 25cm layer of river sand, IInd class bricks covering, refilling earth, compaction of earth, making necessary connection testing etc.as required of size. 3 core 300.0 Sq.mm Complete Rate Group 1	5600	mtr	1988.8	11137280.00	INR One Crore Eleven Lakh Thirty Seven Thousand Two Hundred & Eighty Only	
	Providing & making heat shrinkable type indoor/outdoor/straight through terminations/joint kit of Group1 and approved make suitable for XLPE insulated 11 KV / 33 KV cable, with required components, prepration of cable ends,testing etc. as required of following sizes . 33 KV End Termination Kit outdoor Type 3 core 240/400 Sq.mm Complete Rate Group 1	16.00	Per Set	8085.12	129361.92	INR One Lakh Twenty Nine Thousand Three Hundred & Sixty One and Paise Ninety Two Only	
	33 KV End Termination Kit outdoor Type 3 core 240/400 Sq.mm Complete Rate Group 1	8.00	Per Set	24229.44	193835.52	INR One Lakh Ninety Three Thousand Eight Hundred & Thirty Five and	
	No. :2 - Electrification work						
	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor of IS:1554 P-I / IS:7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,IInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size. 185.0 Sq.mm 3.5 core Complete Rate Unarmoured	3250	mtr	687.2	2233400.00	INR Twenty Two Lakh Thirty Three Thousand Four Hundred Only	
	300.0 Sq.mm 3.5 core Complete Rate Armoured	3000.00	mtr	1093.60	3280800.00	INR Thirty Two Lakh Eighty Thousand Seven Hundred & Ninety Nine	
	Supplying and making one end termination with heavy duty single compression brass gland SIBG type, heavy duty aluminium lugs duly crimped with crimping tool, PVC tape etc for following size of Armoured PVC insulated & PVC sheathed/ XLPE aluminium conductor cable of 1100 volt grade as required of size. 3.5 x 185.0 sq.mm Complete Rate	62	Per Set	316	19592.00	INR Nineteen Thousand Five Hundred & Ninety Two Only	
	3.5 x 300.0 sq.mm Complete Rate	84.00	Per Set	490.40	41193.60	INR Forty One Thousand One Hundred & Ninety Three and Paise Sixty Only	

Bidder Name :		·				
ivaille .	PR	RICE SCHED	ULE			
SI. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words
	Supply and erection of P.C.C./R.C.C. pole as per REC manual no 15/1979 conforming to IS: 2905/1966 including excavation of pit and back filling with stone aggregate/boulders and soil in 0.45m consolidating each deposited layer of 0.45m by ramming and watering etc complete in all respect. 9.0 Mtr long (200 Kg) as per Discom specification Complete Rate Group 1	400	Each	3087.36	1234944.00	INR Twelve Lakh Thirty Four Thousand Nine Hundred & Forty Four Only
	9.0 Mtr long (400 Kg) as per Discom specification Complete Rate Group 1	100.00	Each	3462.72	346272.00	INR Three Lakh Forty Six Thousand Two Hundred & Seventy Two Only
	Supply and erection of GI stay set as per Discom specification complete with long stay rod with anchor plate including stay clamps turn buckle and G.I stay wire tightened through strain insulator, in cement concrete 1:3:6 including excavation of pitre-filling etc as reqd. Stay set of dia 16mm,1.8m long stay rod and anchor plate 300x300x6.4mm Complete Rate Group 1	100	Each	628	62800.00	INR Sixty Two Thousand Eight Hundred Only
	Supply and fixing of following LT Supporting accessories with nut bolt & Clamps made out as per standard Discom's specifications. LT cross arm 600 mm long with clamp Complete Rate Group 1		Each	224.00	134400.00	INR One Lakh Thirty Four Thousand Four Hundred Only
	LT cross arm 1200 mm long with clamp Complete Rate Group 1	600	Each	384	230400.00	INR Two Lakh Thirty Thousand Four Hundred Only
	Supply and fixing of LT porcelain pin insulator as per IS 1445-1997 suitable for working voltage 1100 volts including all accessories like hot dip GI forged spindle of 260mm long and nuts etc as reqd as per Discom specification. 120mm x 85mm Complete Rate Group 1		Each	68.00	163200.00	INR One Lakh Sixty Three Thousand Two Hundred Only
	Supply and fixing of porcelain shackle insulator as per IS:1443 1979 suitable for working on 1100 volts including hot dipped GI accessories and heavy duty hardwares etc as required as per Discom specification. 100mm x 110mm Complete Rate Group 1	600	mtr	96	57600.00	INR Fifty Seven Thousand Six Hundred Only
	Supplying and drawing overhead steel core Aluminium conductor (ACSR) ISI marked(IS 398 part II-1996) on existing cross arms through insulator with all necessary T&P required including binding and twisting etc. complete in all respect as required as per Discom specification. 50 Sqmm of (6+1) 3.35 mm (Insulated Rabbit) Complete Rate Group 1		mtr	49.60	3100000.00	INR Thirty One Lakh Only
	Supply and fixing of 'V' type cross arms made of MS channel on the existing poles complete including all necessary nut and bolt etc with clamps as per Discom specification. 11kV cross arms (75 x 40 x 6.8 kg/mtr) Complete Rate Group 1		Each	680.00	42160.00	INR Forty Two Thousand One Hundred & Sixty Only
	Supply and fixing of top hamper on the existing pole complete					
	including nut bolts etc as required. Vertical type 11 kV (.7m long) (65 x 65 x6mm angle) Complete Rate Group 1	62.00	Each	252.00	15624.00	INR Fifteen Thousand Six Hundred & Twenty Four Only
	Supply and fixing of Cross arms made out from 100 x 50 x 5 mm MS channel complete in all respect as required including nuts and bolts and clamp as per Discom specification etc as required.					

Bidder Name :		-							
PRICE SCHEDULE									
SI. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words			
	1.3 m long Complete Rate Group 1	62.00	Each	680.00	42160.00	INR Forty Two Thousand One Hundred & Sixty Only			
	Supply and fixing 11kV pin insulator(IS 731/ 1971) with minimum creepage distance of 300mm on existing bracket including all accessories like hot dipped GI spindle and nuts etc (as per specification of Discom). Complete Rate Group 1	156.00	Each	108.00	16848.00	INR Sixteen Thousand Eight Hundred & Forty			
	Supply and fixing 11kV Disc insulator (IS 731/ 1971) with minimum creepage distance of 300mm on existing bracket including all accessories like hot dipped GI spindle and nuts etc (as per specification of Discom).					Eight Only			
	B & S type hardware 45 KN Complete Rate Group 1	186.00	Each	448.00	83328.00	INR Eighty Three Thousand Three Hundred & Twenty Eight Only			
	B & S disc insulator 45 KN Complete Rate Group 1	372.00	Each	324.80	120825.60	INR One Lakh Twenty Thousand Eight Hundred & Twenty Five and Paise			
	Supplying and laying of 7/3.15 mm hot dipped galvanized stay wire as required								
	Complete Rate Group 1	2000.00	mtr	20.00	40000.00	INR Forty Thousand Only			
	Supply and fixing of piller box made of 2 mm thick powder coated CRCA sheet of 415 volts 3 phase 4 wire triple pole and neutral type, complete in all respect as required. Including knife switch of 400 amp. rating, HRC fuses with copper one piece U contacts base, brass studs and nuts, copper busbar for main and interconnection, MS angle frame of 50 x 50 x 6 mm grouted with C.C. of M-10 grade to achieve the height of 1.5 feet above the road level suitable for four outgoing.								
	Complete Rate Group 1	31.00	Each	34000.00	1054000.00	INR Ten Lakh Fifty Four Thousand Only			
	Supply and fixing 100 Amp, 11kV Horn gap fuse set IS 9385 on existing DP structure with 6 nos 24kV/22kV post insulator (IS:5350 part III), hot dipped hard ware, fuse wire of required size etc. complete in all respect as per specification given by Discom. (Type tested by ERDA/CPRI)								
	Complete Rate Group 1	31.00	Each	4840.00	150040.00	INR One Lakh Fifty Thousand &Forty Only			
	Supply and fixing of 11kV, 400 Amp 3pole, central pot rotating double break type isolator (IS:9921 part I toV) without earth blade operating mechanism with GI spring loaded reverse loop type fixed contact, solid hard drawn electolytic copper tubular moving contact with silver/ nickel plated at end points, 9 nos post insulator of 12 kV (IS:2554 & IS 5350 part III), hot dipped galvanising hard ware, nut, bolts etc complete in all respect as per specification of Discom.(
	Complete Rate Group 1	31.00	Each	10520.00	326120.00	INR Three Lakh Twenty Six Thousand One Hundred & Twenty Only			

Bidder Name :										
PRICE SCHEDULE										
SI. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words				
	Supply and fixing double pole structure for 11/0.4 Kv substation as per Discom specification complete in all respect as required including nuts and bolts etc (excluding the cost of poles) made of MS channel of 4 nos 100 x 50 x 6mm and 4 nos 75 x 40 x 6mm and MS flat 50 x 6mm as per Discom specifications.									
	Complete Rate Group 1	31.00	Each	7656.00	237336.00	INR Two Lakh Thirty Seven Thousand Three Hundred & Thirty Six Only				
	Pipe Earthing as per IS:3043 with perforated 3.0 Mtr. Long, 40 mm dia. 'B' class G.I. Pipe including all accessories like nut, bolts, reducer, nipple, wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size 300mm x 300 mm and embodying the pipe complete with alternate layers salt and coke/ charcoal, testing of earth resistance as required.									
	Complete Rate group-I	190.00	Per Set	1320.00	250800.00	INR Two Lakh Fifty Thousand Eight Hundred Only				
	S & Laying following size' B ' class G.I. Pipe confirming to IS: 1239 P - 1 (1990) with accessories for laying earth conductor/strip / cable in ground/surface/recess as required									
	100 mm dia. Complete Rate group-I	386.00	mtr	533.60	205969.60	INR Two Lakh Five Thousand Nine Hundred & Sixty Nine and Paise Sixty				
	Supply & fabrication steel structure with MS channel / angle / joist / ISMB / sheet etc. including welding, rivetting, cutting, nut & bolt, Painting etc. as required.									
	Complete Rate Group-I	500.00	Kg	67.20	33600.00	INR Thirty Three Thousand Six Hundred Only				
	Providing and fixing of MS nut bolts 5/8" dia assorted size. As required	1000.00	Kg	28.90	28900.00	INR Twenty Eight Thousand Nine Hundred Only				
	P & Laying XLPE insulated IS:7098/II/85 of Group1 and approved make H.T.cable for working voltage 11 K.V.Earthed direct in ground including excavation of 30cmx100cm size trench, 25cm layer of river sand, IInd class bricks covering, refilling earth, compaction of earth, making necessary connection testing etc.as required of size.									
	3 core 185.0 Sq.mm Complete Rate Group 1	3050.00	mtr	1012.80	3089040.00	INR Thirty Lakh Eighty Nine Thousand &Forty Only				
	Providing & making heat shrinkable type indoor/outdoor/straight through terminations/joint kit of Group1 and approved make suitable for XLPE insulated 11 KV / 33 KV cable, with required components, prepration of cable ends, testing etc. as required of following sizes .									
	11 KV End Termination Kit outdoor type 3 core 120/150/185/225 Sq.mm Complete Rate Group 1	62.00	Per Set	5200.00	322400.00	INR Three Lakh Twenty Two Thousand Four Hundred Only				

Bidder									
Name :	B	DIOE COLLE							
PRICE SCHEDULE									
SI.	Item Description	Quantity	Units	Estimated	TOTAL AMOUNT	TOTAL AMOUNT			
No.				Rate	Without Taxes	In Words			
	11 KV Stright through joint Kit					INR One Lakh Forty Four			
	3 core 120/150/185/225 Sq.mm	12.00	Per Set	12000.00	144000.00	Thousand Only			
	Complete Rate Group 1					Thousand Only			
Total in Figures					29032402.24	INR Two Crore Ninety Lakh Thirty Two Thousand Four Hundred & Two and Paise Twenty Four Only			
Quoted Rate in Figures			Select		0.00	INR Zero Only			
Quoted Rate in Words		INR Zero Only							