# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR SCHEDULE AND SPECIFICATIONS

## Name of Work:- Patch Repair and maintenance works in Zone-12 JDA, Jaipur

 1. NIB No.
 : EE-12/01/2018-19

 2. Approximate cost
 : Rs. 48.56 Lacs

3. Cost of the bid document : Rs 500/-. The Bidders are required to submit Bid

security, cost of Bid documents, Bid processing fees through online payment after registering with JDA on <a href="https://www.jda.urban.rajasthan.gov.in/e-services/e-tender">www.jda.urban.rajasthan.gov.in/e-services/e-tender</a> portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered

as non-responsive and shall be rejected.

4. Bid Processing fees : Rs. 1000/- (In favour of M.D. R.I.S.L., Jaipur.)

5. Earnest Money (In favour of of Secretary, :

JDA, Jaipur.)

@ 2% Rs. 97120/- (For A & AA class contractor

registered in other department) and

@ ½ % 24280/- (For Contractor registered in JDA) through online payment or Bank Guarantee after registering with JDA on <a href="www.jda.urban.rajasthan.gov.in/e-services/e-tender">www.jda.urban.rajasthan.gov.in/e-services/e-tender</a> portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and

Bid Opening date.

6. Sale of bid document Online
7. Date & Time of receiving tender Online
16.07.18 to 06.08.18 up to 6.00 PM
16.07.18 to 06.08.18 up to 6.00 PM

8. Date of submission of Bid : 16.07.18 to 06.08.18 up to 6.00 PM through online

Cost, Process Cost & Bid Security Online

payment after registering with JDA on <a href="www.jda.urban.rajasthan.gov.in/e-services/e-tender">www.jda.urban.rajasthan.gov.in/e-services/e-tender</a> portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission

and Bid Opening date

**9.** Physical BG (Bid Security) Submission

Start & Closing Date

Date of opening of Tender

10

06.08.18 from 9.30 AM upto 6.00 PM

: 09.08.18 at 1:30 PM in Room No. CCC-FF-128, First

Floor, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004

Paiasthan)

(Rajasthan)

11 Completion period of work : 12 Months

### SCHEDULE - A: INFORMATION USEFUL FOR THE BIDDERS:

The Bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates give in the Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

#### SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

The drawing may be seen in office of the undersigned.

#### SCHEDULE - C: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

List of the drawing to be supplied by the bidder NIL. But the bidder shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

#### SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standard & or the standers laid down in the detailed specification of the Public by the bidder qualified personnel as required under the bidder enlistment rules duly approved by the department shall have to be engaged at site by the Bidder. The department reserves the right to engage such staff and recover the expenses from the bidder on such account in case of his failure to do so.

#### SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the bidder shall be deposited 15 days in advance with the Engineer In charge and be got approval by him before use.

#### **SCHEDULE - F: TIME OF COMPLETION:**

The work should start within \_\_\_\_\_ 10 \_\_\_\_ days of issue of work order and complete within time limit.

#### SCHEDULE - G: ATTACHED SEPARATELY BASED ON BSR PWD, JAIPUR.

#### SCHEDULE - H: SPECIAL CONDITION:

Attached Separately.

#### SCHEDULE - I: LIST OF MATERIAL TO BE SUPPLIED BY THE DEPARTMENT:

Cement if available in JDA store shall be issued @ the prevailing stores issue rate of JDA + 5% storage charges at the time of issue of cement.

Material if available time JDA store shall be issued @ the prevailing stores rate of JDA + 5% storage charges.

#### SCHEDULE - J: COST OF BID DOCUMENTS, PROCESSING FEES & EARNEST MONEY.

Date of submission of Bid Cost, Process Cost & EMD from 16.07.18 to 06.08.18 up to 6.00 PM through online payment after registering with JDA on <a href="www.jda.urban.rajasthan.gov.in/e-services/e-tender">www.jda.urban.rajasthan.gov.in/e-services/e-tender</a> portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected.

Signature of the Bidder With full Address

Executive Engineer-12 JDA, Jaipur.

#### **SPECIAL CONDITIONS**

#### SCHEDULE 'H'

- 01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost.
- 02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- 03. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
- 04. The JDA shall have right to cause an audit and technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful; for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
- 05. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 06. Whenever any claim against the contract for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor. In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
- 07. The rate quoted by the contractor shall remain valid for a period of 4(four) months from the date of opening of the Bids.
- 08. By submission of this Bid the contractor agree to abide with all printed conditions provided in the PWD manual form 64 (Chapter 3 para 36) and subsequent modification.
- 09. No conditions are to be added by the contractor and conditional Bid is liable to be rejected.
- 10. All transaction in the execution of this work and this Bid will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
- 11. If any Bid withdraws his Bid prior to expiry of said validity period given at S. No. 7 or mutually extended prior or makes modifications in the rates, terms and conditions of the Bid within the said period, which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to re-biding, he will stand debarred from participating in Biding in JDA for Six Months in addition to forfeiture of Earnest Money/Security Deposit/Performance Guarantee and other action under agreement.
- 12. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
- 13. The contractor shall arrange his own storage tanks upto 10 Tonnes capacity for storing bulk bitumen wherever supplied by the department.
- 14. Rules regarding enlistment of contractors provide that work up to the time five times limit for which they are qualified for Biding can be allotted to them Therefore, before Bid the contractors will

- keep this in mind, and submit the details of work. Bids with incomplete or incorrect information are liable to be rejected.
- 15. Any material not conforming to the specifications collected at site shall have to be removed by the contractor within a period of 3 days of the instructions, issued by the Engineer-In-charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
- 16. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
- 17. The rates provided in Bid documents are inclusive of all Taxes royalty.
- 18. For pavour work at least 3 road rollers shall be simultaneously deployed.
- 19. Bitumen for tack coat or any other purposes, shall be applied only by a bitumen sprayer of a mechanical pressure.
- 20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
- 21. Undersigned has full right to reject any or all Bids without given any reasons.
- 22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
- 23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
- 24. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable
- 25. The Bider are required to submit copy of their enlistment as contractor.
- 26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
- 27. Any Bid received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from Biding for three months in JDA.
- 28. All the provisions of THE RAJASTHAN TRANPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradiction in existing special conditions and provisions of THE RAJASTHAN TRANPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 provisions of THE RAJASTHAN TRANPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 shall be applicable.

Signature of Contractor with full address & Mobile No.

Executive Engineer –12 JDA, Jaipur.

# Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

### Conflict of interest.-

The Bidder participating in a bidding process must no have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

# **Annexure B: Declaration by the Bidder regarding Qualifications**

# **Declaration by the Bidder**

	relation to my/our Bid submitted toin response to their Notice inviting landscapehereby declare under Section 7 of curement Act, 2012 that:	Bids NoDatedI/we			
1.	I/we possess the necessary professional, technical, fi competence required by the Bidding Document issued				
2.	I/we have fulfilled my/our obligation to pay such of state government or any local authority as specified in	the taxes payble to the union and the			
3.	I/we are not insolvent, in receivership, bankrupt or be administered by a court or a judicial officer, not have and not the subject of legal proceedings for any of the	e my/our business activities suspended			
4.					
5.	I/we do not have a conflict of interest as specified Document, which materially affects fair competition;	•			
Date	<b>)</b> :	Signature of bidder			
Place	e:	Name:			
		Designation:			

Address:

# **Annexure C : Grievance Redressal during Procurement Process**

The designation and address of the First Appellate Authority is **JDC** The designation and address of the Second Appellate Authority is **EC** 

# (1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued thereunder, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

# (4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

## (5) Form of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or though registered post or authorised representative.

# (6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

# (7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-
  - (i) hear all the parties to appeal present before him; and
  - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

### **Annexure D : Additional Conditions of Contract**

#### 1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

# 2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the biding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. It the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

# 3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

# FORM No. 1 [see rule 83]

# Memorandum of Appeal under the Rajasthan Transparency in Public procurement Act, 2012

Appeal	l Noof	Before
the	(First/Second Appellate authority)	
1-	Particulars of appellant :  (i) Name of the appellant :  (ii) Official address, if any:  (iii) Residential address :	
2-	Name and address of the respondent(s): (i) (ii) (iii)	
3-	Number and date of the order appealed against and name and designation of the office/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:	
4-	If the Appellant propose to be represented by a representative the name and postal address of the representative:	
5-	Number of affidavits and documents enclosed with the appeal:	
6-	Grounds of appeal :	
7-	Prayer:	
Place :	······································	
Date :		
	Appellant's Signature	

# Jaipur Development Authority, Jaipur

# Name of work :- Patch Repair and maintenance works in Zone-12 JDA, Jaipur G- Scheduel

## Based on JDA BSR 2016

S. No	Particular	Unit	Qty.	Rate	Amount
1	Excavation in Soil using Hydraulic Excavator and Tippers with disposal upto 1000 m Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per MoRD Specification Clause 302.3	Cum	322.000	26.10	8404.20
2	WBM Grading 1 Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 1 as per MoRD Specification Clause 405. Using Hand Broken aggregate  By Manual Means				
3	WBM Grading 2 Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 2 as per MoRD Specification Clause 405.  By Manual Means	Cum	62.000	576.00	35712.00
		Cum	69.750	715.50	49906.13

1	WDM Condition 2	I			
4	WBM Grading 3				
	Providing, laying, spreading and compacting stone				
	aggregates of specific sizes to water bound macadam				
	specification including spreading in uniform				
	thickness, hand packing, rolling with three wheel 80-				
	100 kN static roller in stages to proper grade and				
	camber, applying and brooming, crushable screening				
	to fill-up the interstices of coarse aggregate, watering				
	and compacting to the required density Grading 3 as				
	per MoRD Specification Clause 405. Using Crusher				
	Broken aggregate				
	By Mechanical Means				
		Cum	92.925	945.00	87814.13
5	Wet Mix Macadam	Cuiii	92.925	343.00	07014.13
	Providing, laying, spreading and compacting graded				
	stone aggregate to wet mix macadam specification				
	including premixing the material with water at OMC				
	in mechanical mixer (Pug Mill), carriage of mixed				
	material by tipper to site, laying in uniform layers in				
	sub-base/base course on a well prepared sub-base and				
	compacting with smooth wheel roller of 80 to 100kN				
	weight to achieve the desired density including				
	lighting, barricading and maintenance of diversion,				
	etc as per Tables 400.11 & 400.12 and MoRD				
	Specification Clause 406. By Mechanical Means with 1 km lead				
	1 Kili lead				
		Cum	544.900	1071.00	583587.90
6	Granular sub-base/base/surface course with local				
	materials (Table 400.13) by mix in place method				
	normal Construction of granular sub-base by				
	providing local material spreading in uniform layers				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408	Cum	374 000	360.00	134640 00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel	Cum	374.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity	Cum	374.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen	Cum	374.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base	Cum	374.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying	Cum	374.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using	Cum	374.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502	Cum	374.000 5064.000	360.00	134640.00
7	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502  Providing and applying tack coat with Bitumen				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502  Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502  Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502  Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD				
	providing local material spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at once and compacting with smooth wheel roller to achieve the desired density complete as per Clause 401.4 as per MoRD Specification Clause 408 Using naturally occuring gravel  Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502  Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous				

9	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	5064.000	10.80	54691.20
10	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	4338.000	10.80	46850.40
11	Providing and Laying Reinforced Cement Concrete Pipe NP3 as per design in Single Row Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106. 300 mm dia				
		Rmtr	150.000	526.50	78975.00
12	Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 1.5 mm thick supported on GI pipe 50 mm dia firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and MoRD Specification Clause 1701 900 mm equilateral triangle				
		Each	10.000	4185.00	41850.00
13	Providing and fixing PVC Bump Speed Breakers size 350 mm x 250 mm x 50 mm fitted with key hooks complete with labour material and traffic diversion arrangements.	Rmtr	100.000	1926.00	192600.00
14	Providing and laying dense graded bituminous macadam with 100-120 TPH batch type HMP producing an average output of 75 tones per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT&H Specifications Clause 507 complete in all respects.for Grading II (19 mm nominal size)	Milu	100.000	1320.00	102000.00
		MT	486.930	2722.50	1325666.93

15	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 percent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 509 complete in all respects for Grading-II (13 mm nominal size) Bitumen (VG-30)				
		MT	649.150	2934.00	1904606.10
16	RIGID PVC SOIL Construction of chamber in all type of soil with 300 mm thickmasonry in CM 1:6 m,10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr. Inside size 600 x 450 mm depth upto 0.5 M Cement cover with frame				
		each	10.000	2142.00	21420.00
17	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of serviceable material and stacking the serviceable material with all lifts and lead of 1000 m as per MoRD Specification Clause 202. By manual means Cement Concrete				
	•	Cum	4.500	202.50	911.25
18	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.  M10 grade Nominal Mix 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	Cum	3.000	2398.50	7195.50
19	Producing and supply of Kandhal readymade cold bituminous patching mix in 50-kg plastic lined, sturdy bags for repair ofpotholes in adverse climatic conditions including the bituminous mix with a minimun of 5.6% MC-800 cutback bitumen (Containing a suitable anti-stripping agent) by weight of mix and in strict conformance to gradation and other requirements such as 6 Month storage life as per the enclosed specification dated 1 February 2013 transfer with all leads and lift complete in all respects as per direction of engineer in charge	Bog	150,000	400.50	74025.00
<u> </u>		Bag	150.000	499.50	74925.00

20	Placing and compacting kandhal redymade cold bituminous patching mix in potholes in adverse weather as per enclosed specification including cleaning of potholes placing and compacting the mix				
	sprinkling the sand to prevent pick up by traffic and documentation of patches with all leads and lifts complete in all respect as per attached specification and direction of engineer-in-charge				
		Bag	150.000	17.48	2622.00
	Total				4855579.73

Executive Engineer-12 JDA, Jaipur.

Signature of contractor with Full Address