#### JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 104, Judicial Building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, JDA, Jaipur – 302004 (Rajasthan) Telephone: +91-141-2569696 E-mail: ajayrathore.jda@rajasthan.gov.in

No.:-JDA/EE(ROB/RUB-V)/2019/D-220 Dated: 12.12.2019

#### **NOTICE INVITING BID**

NIB No.: EE (ROB/RUB-V)/01/2019-20

Online Bids are invited upto 06:00 PM of 10.01.2020 for "Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including construction of retaining wall, JDA, Jaipur (Package-IV)" (Annual Rate Contract) Estimated cost of Rs. 314.00 Lacs (UBN No. JDA1920WSRC00258). The last date for applying Bid and making online payment on JDA portal is upto 06:00 PM of 10.01.2020. Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in

#### To participate in the bid, bidder has to be:

- Registered on JDA website www.jda.urban.rajasthan.gov.in
   For participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee,
   RISL Processing Fee and Bid Security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

(Ajay Pratap Singh Rathore) Executive Engineer (ROB/RUB-V)

Copy to:-

01- PRO Cell, JDA, Jaipur for publication in News paper.

Job No. 173/2016-17

(Ajay Pratap Singh Rathore) Executive Engineer (ROB/RUB-V)

Dated: 12.12.2019

# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 104, Judicial Building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur $-\,302004$ 

Telephone: +91-141-2569696 E-mail: ajayrathore.jda@rajasthan.gov.in

No.:-JDA/EE-(ROB/RUB-V)/2019/D-220

# NIB No. : EE-(ROB/RUB-V)/01/2019-20

Name & Address of the Procuring Entity	<ul> <li>Name: Executive Engineer –(ROB/RUB-V), JDA, Jaipur</li> <li>Address: Room No. 104, Judicial Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004</li> <li>E-mail: ajayrathore.jda@rajasthan.gov.in</li> </ul>
Subject Matter of Procurement	<ul> <li>➤ "Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including construction of retaining wall, JDA, Jaipur (Package-IV)" (Annual Rate Contract)</li> <li>➤ Job No.: 173/2016-17</li> </ul>
Bid Procedure	➤ Single Stage tender (eg. Single-stage Two part (envelope) open competitive) eBid procedure at <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a>
Bid Evaluation Criteria (Selection Method)	➤L1 (eg.Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in, www.jda.urban. rajsthan.gov.in
Website for online Bid application and payment *	<ul> <li>➤ Website: www.jda.urban. rajsthan.gov.in</li> <li>➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.</li> <li>○ Bidding document fee: Rs. 1000/- (Rupees One Thousand only)</li> <li>○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only)</li> <li>Requisite Bid Security Deposit</li> </ul>
Estimated Procurement Cost	➤ INR 314.00 Lacs (Rupees Three Crore Fourteen Lacs only)
Bid Security Deposit	<ul> <li>➤ Amount (INR): 2% (Rs. 6,28,000/-) of Estimated procurement cost, 0.5% (Rs. 1,57,000/-) S.S.I. Rajasthan, 1% of Sick Industries, other than SSI. whose cases are pending with Board of Industrial &amp; Financial Reconstruction (*2% for Bidder who is A and AA Class contractor registered in other Government Department /0.5% for Bidder registered as contractor AA, A, B,C in JDA)</li> <li>➤ In case of Department of the state Government and undertakings, corporations, Autonomous bodies, Registered societies, Cooperative societies which are owned or controller or managed by State government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security.</li> </ul>
Date/Time/Place of Pre-Bid	► N/A
Applying Bid and Making Online Payment on JDA portal. ( www.jda.urban.rajsthan.gov.in)	<ul> <li>➤ Start Date: 18/12/2019 at 11.00 AM onwards</li> <li>➤ End Date: 10/01/2020 up to 6:00 PM</li> <li>➤ In case EMD in form BG Original Bank Guarantee is to be submitted in Room No. MBSF 225A,DD (E&amp;B) of Main Building, Jaipur Development Authority by 13.01.2020 to 16.01.2020 up to 12.30 PM</li> </ul>
Bid Submission on e-Procurement Portal of GOR( www.eproc.rajasthan.gov.in)	➤ Start Date: 18/12/2019 at 11.00 AM onwards ➤ End Date: 10/01/2020 up to 6:00 PM
Date/ Time/ Place of Technical Bid Opening	➤ N/A

Date/ Time/ Place of Financial Bid	➤ Date 17-01-2020 at 2:00 PM
Opening	➤ Office of Executive Engineer –(ROB/RUB-V), Jaipur Development Authority
	(Room No. 104, Judicial Building, Ram Kishore Vyas Bhavan, Indira Circle,
	JawaharLal Nehru Marg, Jaipur – 302004, Telephone: +91-141-2569696
	E-mail: ajayrathore.jda@rajasthan.gov.in
Bid Validity	➤ 120 days from the bid submission deadline
Time period of work	➤ 12 (Twelve) Months

<sup>\*</sup> Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL Processing fee online through JDA Portal. The bid security options available in tender for participants are as mentioned below.

The bidder also have choice of depositing Bid security/ EMD through bank guarantee (BG) also. In case of bidder opting to submit bid security through BG in the format provided along with bid document, the bidder will be provide details of BG viz, bank guarantee no, is suing date, expiring date etc. on online tendering system of JDA. However, the tender fees and processing charges of RISL continue to be paid through online mode only i.e. payment gateway of RTGS/NEFT.

A copy of the Bank Guarantee will be required to be attached with the bid submission document uploaded on e-Procurement portal of GOR

The physical Bank Guarantee will be deposited in JDA, only after schedule date & time of closing date for submission of bid on e-Procurement portal of GOR.

The physical Bank Guarantee will be physically handed over to Nodal Office of online tendering system of JDA (Presently in Room No. MB-SF-225A of Main Building). After verification, original BG will be sent to respective procuring entity which will be refunded/returned by procuring entity as per rules.

#### Note:

Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall

In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.

To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a> (bidders already registered on <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a> before 30-09-2011 must register again).

JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.

Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot.

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: <a href="mailto:eproc@rajasthan.gov.in">eproc@rajasthan.gov.in</a> Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.

No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.

Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.

The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

(Ajay Pratap Singh Rathore) Executive Engineer (ROB/RUB-V)

# OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

# SCHEDULE AND SPECIFICATIONS

1	Name of work	:	"Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including construction of retaining wall, JDA, Jaipur (Package-IV)" (Annual Rate Contract)
2	NIB No.	:	EE-(ROB/RUB-V)/01/2019-20
3	Approximate cost	:	Rs. 314.00 Lacs (Rupees Three Crore Fourteen Lacs only)
4	Cost of the tender documents	:	Rs. 1000.00 The Bidders are required to submitted Bid security, cost of Bid documents, Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fess the bid of respective bidder will be considered as non-responsive and shall be rejected.
5	Bid Processing fees	:	Rs. 1000/- (In favour of M/s M.D. R.I.S.L., Jaipur)
6	Earnest Money (in favour of Secretary, JDA, Jaipur)	•	Rs. @ 2% Rs. 6,28,000/- (For A & AA class contractor registered in other department and @ ½ % Rs. 1,57,000/- (For contractor registered in JDA) through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date.  Bid Security (Earnest money) may be submitted online or by way of bank guarantee. In case bidder opt to submit bid security through bank guarantee, the bank guarantee should valid up to 14 Months from the date of opening of the bid in prescribed format.
7	Publishing date on SPPP Portal	:	18/12/2019 at 11:00 AM Onwards
8	Document sale/download/Bid participation amount deposit start date on JDA Portal	:	18/12/2019 at 11:00 AM Onwards
9	Bid Submission Start Date on eProc Portal of GOR	:	18/12/2019 at 11:00 AM Onwards
10	Document sale/download/Bid participation amount deposit End date on JDA Portal	:	10/01/2020 upto 06:00 PM
11	Bid Submission End Date on eProc Portal of GOR	:	10/01/2020 upto 06:00 PM
12	Physical BG submission Start Date	:	13/01/2020 at 03:00 PM Onwards
13	Physical BG submission End Date	:	16/01/2020 upto 12.30 PM
14	**Date/ Time/ Place of Bid Opening	:	17/01/2020 at 2:00 PM Room No. 104, Judicial Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004
15	Time period of work	:	12 (Twelve) Month

#### SCHEDULE 'A': INFORMATION USEFUL FOR THE CONTRACTORS:

The Bidder should see the site and fully understand the condition of the site before bidding and include all lead, lifts etc. for the material in his item rate/percentage to be quoted on the rates as given in the schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

#### SCHEDULE 'B': LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

# SCHEDULE 'C': LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after depositing necessary cost within JDA.

# **SCHEDULE 'D': TEST OF THE MATERIALS:**

The test of the material and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works Deptt, Proper quality control is required to be maintained by the contractor qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

#### SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 7 days in advance with the Engineer In charge and be got approved by him before use.

#### **SCHEDULE 'F': TIME OF COMPLETION:**

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure, the Contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

# SCHEDULE 'G': ATTACH SEPARATELY BASED ON BSR PWD, JAIPUR. SCHEDULE 'H': SPECIAL CONDITION: ATTACHED SEPARATELY.

<u>SCHEDULE –I</u> Cost of bid documents, Processing Fees & Bid Security Deposit.

Date of submission of Bid Cost, Bid Processing fees & EMD upto 10.01.2019 upto 6:00 PM through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in portal. There should be a gap 3 working days between End date for Bid applying, Online payment & Bid submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected. If a bidder opt bid security to be deposited through bank guarantee, the bank guarantee should be valid for next 14 months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission document uploaded on E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of on-line tendering system of JDA i.e. D.D.(E&B) in room No. MB-SF 225A main building, JLN Marg, JDA, Jaipur, as per specified in bid documents.

Annexure A: Compliance with the code of Integrity and No Conflict of Interest

**Annexure B: Declaration by the Bidder regarding Qualifications** 

**Annexure C : Grievance Redressal during Procurement Process** 

**Annexure D : Additional Conditions of Contract.** 

SIGNATURE OF CONTRACTOR with full address & Mobile No.:

EXECUTIVE ENGINNER (ROB/RUB-V)
Jaipur Development Authority,
Jaipur

#### SCHEDULE 'H'

- 01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost?
- 02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
- 03. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
- 04. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful; for the JDA to recover such sum from him in; the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the contractor.
- 05. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 06. Whenever any claim against the contractor for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the contractor. In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
- 07. The rate quoted by the contractor shall remain valid for a period of 4(four) months from the date of opening of the tenders.
- 08. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 09. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
- 10. All transaction in the execution of this work and this tender will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
- 11. If any tenderer withdraws his tender prior to expiry of said validity period given at S. No. 7 or mutually extended prior or makes modifications in the rates, terms and conditions of the tender within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering, he shall stand debarred for six months from participating of tendering in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
- 12. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
- 13. The contractor shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.
- 14. Rules regarding enlistment of contractors provide that work ;upto five times limit for which they are qualified for tendering can be allotted to them Therefore, before tender the contractors will keep this in mind, and submit the details of work. Tenders with incomplete or incorrect information are liable to be rejected.
- 15. Any material not conforming to the specifications collected at site shall have to be removed by the contractor within a period of 3 days of the instructions, issued by the Engineer-Incharge in writing. Failing which, such material shall be removed by the Engineer-Incharge at risk and the contractor after expiry of 3 days period.
- 16. The material collected at site and paid provisionally shall remain under the watch and ward of the contractor till it is consumed, fully on the work.
- 17. The rates provided in tender documents are inclusive of all Taxes royalty.
- 18. For paver work at least 3 road rollers shall be simultaneously deployed.

- 19. Bitumen for tack coat or any other purposes, shall be applied only be a bitumen sprayer of a mechanical pressure.
- 20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
- 21. Undersigned has full right to reject any or all tenders without given any reasons.
- 22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
- 23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
- 24. Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing Rs. 25.00 lacs and more shall be applicable.
- 25. The tenderer are required to submit copy of their enlistment as contractor.
- 26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
- 27. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
- 28. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES, 2013, provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES 2013 shall be applicable.
- 29. Price Escalation clause shall not be applicable.

Signature of Contractor with full address & Mobile No.

Executive Engineer (ROB/RUB-V) JDA, Jaipur.

# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

# **Other Conditions**

- 1. The Contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
- DLP period of various nature of works amounting more than 25 Lacs has been revised.
   The time period as per order No.JDA/EX.En.(TA to DE-I)/2016/ D-29 dated 11.03.2016.
- 3. निविदा में निर्धारित राशि से अधिक / कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावें, सिस्टम द्वारा भी कम / अधिक राशि बिड स्वीकार नहीं की जावेंगी।
- 4. अलग—अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
- 5. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावें।
- 6. Minimum grade of reinforcement to be used shall be Fe-500D.

Signature of Contractor with full address & Mobile No.

Executive Engineer (ROB/RUB-V) JDA, Jaipur

# <u>Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing Rs.</u> 25.00 Lacs and more

#### 1. ROAD WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per table-1. Road works executed by the Contracting agency shall be maintained by them at their own cost for Schedule as per table-1 (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, strengthening and renewal works.
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
- (i) Routine maintenance of Road Works,
- (ii) To remove the defect as & when appear in part and entire structure of Road Works, in specified time and keeping the Road Surface with good riding quality and
- (iii) Damages due to improper drainage / drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at completion of the construction work and ends after Schedule as per table-1.
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in manual for maintenance of roads of MoRTH and shall be carried out accordingly.

# 1.7 (a) The routine maintenance activities and their periodicity as per JDA Office order no: JDA/Ex.En.(TA to Dir Engg.-I)/2016/D-29 dated 11.03.2016

#### Table-I

S.No.	Type of work	DLP Period
1	Bridge work	5 Years
2	CD work	5 Years
3	CC road, PQC work	5 Years
4	CC tiles/Kerb/ Medians	5 Years
5	Drains	3 Years
6	Roads	
	(i) Two Layer WBM/GSB	6 Months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT upto 30 mm thickness	1 Year
	(b) BT above 30 mm to upto 40 mm	2 Years
	(c) BT above 40 mm to upto 90 mm	3 Years
	(d) BT above 90 mm	5 Years
	(iii) New roads	
	(a) BT upto 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7	Compound wall	3 Years
8	Building work	
	(i) Work pertaining to sanitary works electrical works, Joinery works and painting works.	2 Years
	(ii) Work pertaining to building structure and other civil works.	5 Years
9	Electric work except maintenance	3 Years
10	Sewer/water supply all including STP and water supply related work except maintenance works	3 Years

### 1.7 (b) The routine maintenance activities and their periodicity

S. No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	<u> </u>
4	Insurance of proper functioning of drains including civil maintenance and desilting of	_

	drains. (If constructed by the same Road	
	agency or not)	
5	Maintenance of road signs. (If installed by the	Maintenance as and when required. Repainting once in
	same Road agency)	every one and half years.
6	Road Marking, Kerb Stone/Dand. (If done by	Thermoplastic Paint
	the same Road agency)	Maintenance as and when required. Repainting once in
		every one and half years.
		Ordinary Paint
		Maintenance as and when required. Repainting thrice in
		every years.
7	Damages beyond control of agency.	Road cuts made by various agencies for utility, duly
		permitted by JDA / JNN will have to be repaired by
		agency on the same rates of the contract agreement till
		DLP.

#### 2. General

#### 2.1 Inspection of works during Defect Liability Period

- 2.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particulars attention on those road sections, which are likely to be damaged during rainy season.
- 2.1.2 One register has to be maintained by every A.E.n for recording the inspection details of works in his jurisdiction under defect liability period.

#### 2.2 <u>Conditions regarding Security Deposit</u>

#### 2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

#### 2.2.2 Refund of SD -

The release of SD amount shall be as following table:-

S.No.	Released SD	1 <sup>st</sup> year	2 <sup>nd</sup> year	3 <sup>rd</sup> year	5 <sup>th</sup> year
	DLP period				
1	Upto 1 year	100 %	40 %	20 %	10 %
2	Upto 2 Year		60 %	20 %	10 %
3	Upto 3 Year			60 %	10 %
4	Upto 4 Year				20 %
5	Upto 5 Year				50 %

Various conditions for managing DLP are as under:-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC /tiles/drains etc ( as per different categories in Table I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT- 1/2/3/5 years, Drain- 3 years etc.
- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (iii) If any work, amount is less than Rs. 25 lakhs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lakhs, DLP shall be operative as per rule for each individual item.
- (iv) Similarly if any work is more than Rs. 25 lakhs but later finalization amount of work is less than Rs. 25 lakhs, DLP should be operative for six months or rainy season whichever is late.
- (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted from JDA for three years as per RTPP Rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
- (vi) Quarterly inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En & TA to DE-I/ 2014-15/D-223 dated 12.03.2015 and order no. SE ( PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 point no. 3
- (viii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted.
  - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per table III.

% recovery on withdrawal of DLP of work order		2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	_
5 Year	9.00	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD, same shall be recovered from other works and as per PDR rules. The amount as per Table-III is also to be deducted in addition to this amount.
- (c) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

# 2.2.3 Force Majeure

The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibility of contracting agency.

Signature of Bidder	Executive Engineer (ROB/RUB-V)
with full address:	JDA, Jaipur

# Jaipur Development Authority, Jaipur

# Subject: Payment mechanism for participating in tender

Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security) Tender fee and RISL processing fee online through JDA portal. The bid security options available in tender for participants are as mentioned below:

### A. Payment Options:

#### Option-1: Bank Guarantee (BG). against EMD I Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security) for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through **Payment Gateway only,** option to make balance payment through EFT (RTGS/NEFT) will not be available

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT/RTGS) will be available

## **Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)**

If the bidder selects payment mode as EFT (NEFT/RTGSL "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 2 days prior to closing date of bid participation.

### **Option-3: Payment Gateway (Aggregator)**

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from **anywhere any time** till the closing date & time of bid participation

### **B.** Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

Executive Engineer (ROB/RUB-V)

JDA, Jaipur

# Bank Guarantee Performa for Bid security deposit

Form of (Bank Guarantee) -En cashable at branch of the bank in Jaipur City.

То	
Secretary,	
Jaipur Development Authority,	
Jaipur	
Sub:	
behalf of	for [amount of Security in figures] [in words] on [Name of the Bidder] against the Security Deposit  Froad in between Ambabari T-Junction to Petrol Pump  Page (Page W)" (Appeal Page Contract)
"the Bidder") has submitted his Bid dated strengthening of road in between Ambabari	[name of Bidder with address] (hereinafter called for the work of ("Widening and Γ-Junction to Petrol Pump including construction of tall Rate Contract) (Hereinafter called "the Bid").
name(hereinafter called "the	e of Bank) of having our registered office at of country] having our registered office at Bank") are bound unto Secretary, Jaipur Development
	in the sum of Rupees [Amount n words) only for which payment will and truly to be f, its successors, and assigns by these presents.
That on demand of JDA , this Bank Guarantee i	s encashable at following branch in Jaipur City.
1. Name of Bank:	
2. Name of the branch with branch code:	
3. Address:	
4. E-Mail Id:	
5. Telephone No.	
6. Fax No.:	
SEALED with the Common Seal of the said Ba	nk this day of of 20

#### THE CONDITIONS of this obligation are:

- (1) if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- (2) if the Bidder refuses to accept the correction of errors in his bid;
- (3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders:

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 8 months after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

The amount covered under the above Bank Guarantee shall be automatically be credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICIC0006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it revalidated well before its expiry date or produce NOC from JDA in written for its release.

Date	Signature of the Bank	
Witness	Seal	
[Signature, Name and Address]		
[Note: To be furnished on appropr	iate non-judicial stamps.]	

# Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall –

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

#### **Conflict of Interest:-**

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
  - a. Have controlling partners/shareholders in common; or
  - b. Receive or have received any direct or indirect subsidy from any of them; or
  - c. Have the same legal representative for purposes of the Bid; or
  - d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
  - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
  - f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
  - g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

# Annexure B: Declaration by the Bidder regarding Qualifications

Document, which materially affects fair competition;

Date:

Place:

# **Declaration by the Bidder**

In relation to my/our Bid submitted to	
DatedI/We hereby declare under Section 7 of Rajasthan Transparen	
in Public Procurement Act, 2012, that:	,
1. I/We possess the necessary professional, technical, financial and managerial resources a competence required by the Bidding Document issued by the Procuring Entity;	nd
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and t	he
State Government or any local authority as specified in the Bidding Document;	
3. I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affar	irs
administered by a court or a judicial officer, not have my/our business activities suspend	ed
ant not the subject of legal proceeding for any of the foregoing reasons;	
4. I/We do not have, and our directors and officers not have, been convicted of any crimir	ıal
offence related to my/our professional conduct or the making of false statements	or
misrepresentations as to my/our qualifications to enter into a procurement Contract within	ı a
period of three years preceding the commencement of this procurement process, or not ha	ve
been otherwise disqualified pursuant to debarment proceedings;	
5. I/We do not have a conflict of interest as specified in the Act, Rules and the Biddi	ng

Signature of bidder

Name:

Designation:

Address:

#### **Annexure C: Grievance Redressal during Procurement Process**

The designation and address of the First Appellate Authority is EC, JDA, Jaipur

The designation and address of the Second Appellate Authority is ACS, UDH

## Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (1) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (2) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

### (3) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

#### (4) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

## (5) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

#### (6) Procedure for disposal of appeal

(a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.

- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
  - (i) Hear all the parties to appeal present before him; and
  - (ii) Peruse or inspect documents, relevant records or copies there of relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass and order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

#### Annexure D: Additional Conditions of Contract

#### 1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) It there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.
  If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

## 2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

# 3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

# FORM No. 1

[See Rule 83]

# Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

* *	No of
Before the	e(First/Second Appellate Authority)
1. P	articulars of appellant :
(i) N	Tame of the appellant :
(ii) O	fficial address, if any:
(iii) R	Residential address:
2. N	Tame and address of the respondent (s):
(i	)
(i	i)
,	ii)
	lumber and date of the order appealed against and name and designation of the
	fficer/authority who passed the order (enclose copy), or a statement of a decision, action or
	mission of the Procuring Entity in contravention to the provisions of the Act by which the
-	ppellant is aggrieved:
	If the Appellant proposes to be represented by a representative, the name and postal address of the representative:
5. N	Sumber of affidavits and documents enclosed with the appeal:
6. G	rounds of appeal :
	Supported by an affidavit)
7. Pr	rayer:
Place	
Date	

**Appellant's Signature** 







Name of Work: Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder						
Name :	DD	ICE CCHEF	MHE			
Sl. No.	Item Description	ICE SCHEE Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1.00	Dismantling of Flexible Pavements Dismantling of Flexible Pavements and disposal of dismantled materials upto a lead of 100 m, stacking serviceable and unserviceable materials separately as per MoRD Specification Clause 202 By Manual Means Granular Courses					INR Seventy Nine
1 20		400.00	cum.	198.00	79200.00	Thousand Two Hundred Only
1.20	By Mechanical Means Bituminous Courses	100.00	cum.	115.20	11520.00	INR Eleven Thousand Five Hundred & Twenty Only
2.00	Construction of Cut-off Walls/Head Walls Earthwork in excavation for structures as per drawing and MoRD specification Clause 305. Excavation for Structures Earthwork in excavation for structures as per drawing and MoRD specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material. Ordinary soil Upto 3 m depth	2480.00	cum.	111.60	276768.00	INR Two Lakh Seventy Six Thousand Seven Hundred & Sixty Eight Only
3.00	Excavation in Cutting in Soil Excavation in Soil using Hydraulic Excavator and Tippers with disposal upto 1000 m Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and upto 1000 m as per MoRD Specification Clause 302.3	12100.00	cum.	26.10	315810.00	INR Three Lakh Fifteen Thousand Eight Hundred & Ten Only
4.00	Construction of Subgrade and Earthen Shoulders Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per MoRD Specification Clause 303.1.	2720.00	cum.	94.50	257040.00	INR Two Lakh Fifty Seven Thousand &Forty Only
5.00	Construction of Embankment with Material Obtained from Borrow Pits  Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per MoRD Specification Clause 301.5		cum.	94.50	1767150.00	INR Seventeen Lakh Sixty Seven Thousand One Hundred & Fifty Only
6.00	Carriage of Road Materials					
6.10	Earth, Sand, Lime, Morrum manure or sludge	21500.00	cum.	67.05	1441575.00	INR Fourteen Lakh Forty One Thousand Five Hundred & Seventy Five

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder Name :							
	PR	CICE SCHEE	<u>ULE</u>				
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words	
6.20	Building Rubbish Stone metal (Grit and ballast etc.) For 5 Km.	500.00	cum.	59.40	29700.00	INR Twenty Nine Thousand Seven Hundred Only	
7.00	Compacting Original Ground Compacting original ground supporting embankment Loosening, Levelling and Compacting original ground supporting embankment to facilitate placement of first layer of embankment, scarified to a depth of 150 mm, mixed with water at OMC and then compacted by rolling so as to achieve minimum dry density as given in Tables 300.1 and 300.2 for embankment construction as per MoRD Specification Clause 301.4.1.	2000.00	cum.	9.00	18000.00	INR Eighteen Thousand Only	
8.00	Gravel/Soil-Aggregate Base/Sub-base Gravel/Soil Aggregate Base/Sub-base Nominal Maximum size Grading 80 mm (Table 2.3 of IRC SP 77 2008) Construction of Gravel / Soil Aggregate Sub- base/Base by providing well graded material of nominal maximum size grading 80 mm as per Table 2.3 of IRC SP 77-2008, spreading in uniform layers with tractor mount appropriate grading arrangements on prepared surface, mixing by mix in place method at OMC with tractor mount appropriate rotavator attachment and compaction with three wheel 80-100 KN Static Roller capacity to achieve the desired density complete as per specifications contained in Para 2.2, 3.6 and 3.7 of IRC SP 77-2008	1000.00	cum.	531.00	531000.00	INR Five Lakh Thirty One Thousand Only	
9.00	Wet Mix Macadam Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400.11 & 400.12 and MoRD Specification Clause 406. By Mechanical Means with all lead	1300.00	cum.	1071.00	1392300.00	INR Thirteen Lakh Ninety Two Thousand Three Hundred Only	
10.00	Prime Coat Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502	5000.00	sqm.	31.50	157500.00	INR One Lakh Fifty Seven Thousand Five Hundred Only	

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder Name :						
	PR	ICE SCHEE	ULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
11.00	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503	5000.00	sqm.	10.80	54000.00	INR Fifty Four Thousand Only
12.00	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	2000.00	sqm.	10.80	21600.00	INR Twenty One Thousand Six Hundred Only
13.00	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.		sqm.	9.00	63000.00	INR Sixty Three Thousand Only
14.00	Providing and laying dense graded bituminous macadam with 100-120 TPH batch type HMP producing an average output of 75 tones per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 percent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT&H Specifications Clause 507 complete in all respects.  for Grading II (19 mm nominal size)  In MT	700.00	P.MT	2722.50	1905750.00	INR Nineteen Lakh Five Thousand Seven Hundred & Fifty Only
15.00	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 509 complete in all respects for Grading-II (13 mm nominal size) Bitumen (VG-30)	500.00	Р.МТ	2934.00	1467000.00	INR Fourteen Lakh Sixty Seven Thousand Only
16.00	Providing, laying and compacting plain/ reinforced cement concrete of specified grade in foundation/ leveling course/ pile cap using concrete mixer and vibrater complete including cost of form work, as per drawing and technical specifications and as per clause 1100, 1500,1700,2100 of MoRT&H specification including all scaffolding material, labour, machinery. PCC Grade M -15	155.00	cum.	3840.00	595200.00	INR Five Lakh Ninety Five Thousand Two Hundred Only

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder						
Name :						
		ICE SCHEE		I = I		
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
17.00	Providing, laying and compacting design mix plain/reinforced cement concrete of specified grade in foundation/ leveling course/pile cap using batching plant, transit mixer and concrete pump and vibrater including cost of form work, complete as per drawing and technical specifications as per clause 1100, 1500,1700,2100 of MoRT&H specification including all material, labour, machinery, and maintenance of diversion.  RCC Grade M -35	850.00	cum.	5100.00	4335000.00	INR Forty Three Lakh Thirty Five Thousand Only
18.00	Providing and laying structural plain/ reinforced cement concrete (design mix) of specified grade in substructure at all levels using batching plant, transit mixer, concrete pump and vibrater including cost of form work complete as per drawing and clause 1500, 1700 and 2200 of MoRT&H specification including all scaffolding, material, labour, machinery etc.	650.00	cum.	5620.00	3653000.00	INR Thirty Six Lakh Fifty Three Thousand Only
19.00	Providing and constructing of Reinforced cement concrete crash barrier at the edges of the road, approaches to bridge structures and medians, constructed with specified grade concrete using batching plant, transit mixer, concrete pump and vibrator with 450 mm long at expansion joints filled with pre-moulded asphalt filler board, keyed to the structure on which it is built and installed as per design and dimensions in the approved drawing and at locations directed by the Engineer, all as specified as per clause 809 of MoRT&H specification including all material, labour scaffolding etc.	125.00	cum.	6170.00	771250.00	INR Seven Lakh Seventy One Thousand Two Hundred & Fifty Only
20.00	Supplying, fitting and placing TMT bar reinforcement in substructure/superstructure at all level complete as per drawing and clause 1600 & 2200 of MoRT&H Specification including all material, labour, machinary etc.	70.00	tonne	65700.00	4599000.00	INR Forty Five Lakh Ninety Nine Thousand Only
21.00	Providing and laying TMT bar reinforcement at any level in foundation/ pile/ pile cap complete as per drawing and clause 1600 of MoRT&H Specification including all material, labour and machinery.	75.00	tonne	64600.00	4845000.00	INR Forty Eight Lakh Forty Five Thousand Only
22.00	Providing and fixing G.I. Pipes railing of 80 mm dia. (Class B) over mtr brackets of 16 mm thick MS plate with 200 mm at bottom & 120 mm at top with 200 mm height welded to 16 mm thick MS Plates of size 200 X 175 anchored with 400 mm long 4-12 mm dia.steel bars at the top of RCC crash barrier @1.0m c/c including fixing arrangement as per the drawing, clause 800 of MoRTH specification and as per the direction of the Engineer.	260.00	mtr	1170.00	304200.00	INR Three Lakh Four Thousand Two Hundred Only
23.00	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant.  160 mm dia	1000.00	mtr	225.00	225000.00	INR Two Lakh Twenty Five Thousand Only

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder Name :		_					
	PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words	
24.00	Supply &fixing of Fiber reinforced Ferro cement drain cover (light duty) designed for side drain for class "B" Road loading duly marked on cover with adequate steel reinforcement having thickness 50 mm to 75 mm anti corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks additives & admixture like plasticizer shrinkage resistance compound abrasion resistant as per approved drawing and design complete in all respect. for drain Opening Size 451 to 700 mm Standard Drain Cover Size sqm 1000mm x 900mm x 60mm		sqm	643.50	19305.00	INR Nineteen Thousand Three Hundred & Five Only	
25.00	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 600 mm with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and MoRD specification Clause 1204.3.8	540.00	cum.	468.00	252720.00	INR Two Lakh Fifty Two Thousand Seven Hundred & Twenty Only	
26.00	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and MoRD specification Clauses 614, 709, 1204.3.7	600.00	Each	51.30	30780.00	INR Thirty Thousand Seven Hundred & Eighty Only	
27.00	Finishing walls with Acrylic Smooth exterior paint of required shade:  New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including base coat of water proofing cement paint applied @ 2.20 kg/10 sqm).	608.00	Sqm.	77.00	46816.00	INR Forty Six Thousand Eight Hundred & Sixteen Only	
28.00	Providing and fixing reinforced concrete precast kerb stone or dand R.Mtr of M-20 grade cement concrete 120 cm long having 4 Nos. bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at site with cement mortar 1:4 complete in all respect as directed by Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1 Cement : 4 Coarse sand : 8 stone aggregate 20 mm thick nominal size) including excavation of earth and cutting of BT road cutting of WBM road etc. and disposal of surplus material with all lead and lift. The size of kerb shall be (11.5+16.5)/2*30+(16.5*7.5)		P. Rmt.	617.00	617000.00	INR Six Lakh Seventeen Thousand Only	
29.00	Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 60 mm as per drawings and MoRDmSpecification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks.	1000.00	Sqm.	562.50	562500.00	INR Five Lakh Sixty Two Thousand Five Hundred Only	

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder								
Name :								
	PRICE SCHEDULE							
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
30.00	Painting Two Coats on New Concrete Surfaces Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and MoRD Specification Clause 1701	1200.00	sqm.	52.20	62640.00	INR Sixty Two Thousand Six Hundred & Forty Only		
31.00	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160" C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.	400.00	sqm.	436.50	174600.00	INR One Lakh Seventy Four Thousand Six Hundred Only		
32.00	Supplying and fixing of Single Molded twin Shank Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97-DO III Dt 11.06.1997. The height, width and length shall not exceed 50 mm, 100 mm and 100 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35+/-5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 700 Kgf. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer. (manufactured frot be less than 100 mm resp	200.00	Each	183.00	36600.00	INR Thirty Six Thousand Six Hundred Only		

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder Name :								
	PRICE SCHEDULE							
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
33.00	Supplying & Installation of Solar Raised Pavement Markers made of polycarbonate molded body with circular shape, solar powered, LED self illumination in active mode, 360 degree illumination and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face in passive mode. The marker shall support a load of 20000 kg jested in accordance to ASTM D 4280. The marker should be resistant to dust and water ingress according to IP 65 standards and should withstand temperatures in the range of 0C to 70 C. Color of lighting could be provided in red or yellow (amber) as per requirement and typical frequency of blinking is 1 Hz. There should be current losses of less than 20 micro-amperes at 2.4 V in sleep-charging mode to enhance the life of the marker and a full charge should provide for a minimum autonomy of 50 hours. The height, width and length of the marker shall not be less than 10 mm X 100 mm X 100 mm. Also the surface diameter of the marker shall not be less than 100 mm respectively. The weight of the marker shall not exceed 0.5 Kilograms. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy rasin based adhesive as per manufacture's recommendation and complete as directed by the engineer. (manufactured from 3M or equivalent)	100.00	Each	2151.00	215100.00	INR Two Lakh Fifteen Thousand One Hundred Only		
34.00	Traffic Signs Retro-reflectorised Traffic Signs Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and MoRD Specification Clause 801							
34.10	800 mm x 600 mm rectangular	6.00	Each	5130.00	30780.00	INR Thirty Thousand Seven Hundred & Eighty Only		
34.20	600 mm x 450 mm rectangular	6.00	Each	3600.00	21600.00	INR Twenty One Thousand Six Hundred Only		
34.30	600 mm x 600 mm square	6.00	Each	4230.00	25380.00	INR Twenty Five Thousand Three Hundred & Eighty Only		

Name of Work : Widening and strengthening of road in between Ambabari T-Junction to Petrol Pump including Construction of retaining wall, JDA, Jaipur (Package-IV), (Annual Rate Contract)

Bidder Name :						
	<u>PR</u>	ICE SCHEL	<u>DULE</u>			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
35.00	Supply of Swiss Type Bollard made out of 1.25 mm thick M.S. sheet, total height 135 cm, the lower portion is made in tapered circular section having upper dia 15 cm and lower dia 20 cm with attachment of one mandatory plate 7 mm thick M fixed with the help of 7 cm long, 30mm dia crome plated M.S. tube this part is fixed on the body with another attachment of a cap 30x7 cm. whole body is processed in black stoving enamel and mandatory plate in Azure blue, with one compulsory keep left arrow with 10mm border reflective strip each of 7.5 cm on body complete in all respect.	8.00	Each	1651.50	13212.00	INR Thirteen Thousand Two Hundred & Twelve Only
36.00	Providing, fixing, maintaining, shifting & refixing, barricading of a steel portable barricade with horizontal sheet 0.60 mtr wide, 2.4 mtr in length fitted on a "A" frame and sheet painted with 2 coats of yellow paint, lettering (CAUTION, JDA AT WORK, DRIVE SLOW) on sheet with RED paint & border with reflective paint at the time of every shifting, traffic diversion arrangement, safety guard, suitable lightning arrangement during night if required, complete in all respect till completion of the project as per technical specification and direction of Engineer-Incharge and same shall be possessed by the contractor after completion of the project.  Payment under this item will be released:- (1) 50% at the time of providing new barricading at the time of start of project at location and plan as approved by the Engineer & certification (2) 50% After completion of project including shifting, re-erecting and maintaining the barricading in position, during entire construction tenure with requisite manpower/flagman etc.Complete for guiding traffic and safety etc and dismantling after completion of project.	50.00	Each	2918.00	145900.00	INR One Lakh Forty Five Thousand Nine Hundred Only
Total in	Figures				31371496.00	INR Three Crore Thirteen Lakh Seventy One Thousand Four Hundred & Ninety Six Only
Quoted	Rate in Figures		Select		0.00	INR Zero Only
Quoted	Rate in Words			INF	R Zero Only	1
					•	